



Private Vehicle Inspection Report

Decal Number: FT86235
Decal Expiry Date: 2023-Sep-30
Inspection Number: 20238206

Inspection Result:
PASS

Facility: ABBOTSFORD TUNE-UP CENTER / S5838
Inspector: MOHAMMAD YUSOF, MOHAMMAD ARIS / 203635
Work Order Number: 15969
Inspection Type: Complete
Inspection Class: Class 1 - Light Vehicle with LGVW 5500 kg or less
Inspection Reason: Salvage Vehicle
Inspection Start Date/Time: 2022-Sep-06 05:00 PM
Inspection Complete Date/Time: 2022-Sep-07 09:00 AM
Collision Repair Facility: AMC AUTO
Collision Repair Facility Phone: (778) 317-1840
Collision Repair Technician: ARIS YUSOF

Vehicle Jurisdiction: British Columbia
Registration Number: 11106761
VIN: 5FNRL5H61EB510841
Plate Number:
Licenced GVW (kg): 0
Vehicle Year: 2014
Make: HONDA
Brake Type: Hydraulic
Fuel Type: Gasoline
Odometer: 136486 KM
Hub Odometer:
Body Style: 4 Door Stationwagon
Model:
Owner/Lessee Name: SUBURBAN AUTO, SUBURBAN AUTO
Address: 7111 NO 8RD.
City: Richmond
Province/State: British Columbia
Postal Code/ZIP: V6W1L9
Country: Canada

	Result	Comment
Vehicle Identification (VIN)	Passed	
Section 1 - Power Train	Passed	
Section 2 - Suspension	Passed	
Section 3 - Brake System	Passed	
Section 3H - Hydraulic Brakes	Passed	
Section 4 - Steering	Passed	
Section 5 - Instruments and Auxiliary Equipment	Passed	
Section 6 - Lamps	Passed	
Section 7 - Electrical System	Passed	
Section 8 - Frame and Body	Passed	
Section 9A - Tires	Passed	
Section 9B - Wheels	Passed	
Section 10 - Coupling Devices	Not Applicable	
Section 11 - Other Vehicle Components	Passed	

Tire Tread Depth (mm)

Axles (front)	Outer Left	Inner Left	Inner Right	Outer Right	Steering Axle?
1	8			8	✓
2	9			9	
Comment:					

Brake Lining/Pad Measurement (mm)

Axles (front)	Lining/Pad	Left	Right
1	Pad	8	8
2	Pad	8	8
Comment:			

Rotor Thickness or Drum Inside Diameter Measurement (mm)

Axles (front)	Rotor/Drum	Left	Right
1	Rotor	28.90	28.87
2	Rotor	11.00	11.00
Comment:			

Inspection Comments:

Has this Vehicle been road tested? Yes When? After Inspection

Name of the person who did the road test: ARIS

Inspector Name: MOHAMMAD YUSOF, MOHAMMAD ARIS

Signature:

This Inspection Report was submitted to CVSE on 2022-Sep-08 10:55 AM

The Inspector's signature above is certification that this vehicle has been inspected to the requirements of the Motor Vehicle Act and Regulations.

NOTICE: KEEP THIS VEHICLE INSPECTION REPORT WITH VEHICLE REGISTRATION.

The personal information collected on this form is collected under the authority of section 216 of the Motor Vehicle Act and Division 25 of the Motor Vehicle Act Regulations. It is collected for the purpose of processing this vehicle inspection and for generally administering the Vehicle Inspection Program and the National Safety Code (e.g. regulating carriers, authorized inspectors, and designated inspection facilities). If you have any questions about the collection of this information, you may contact the Sr. Manager, NSC/MIP at the Commercial Vehicle Safety Enforcement

CVSE0013

9/8/2022 10:55:47 AM



BRITISH
COLUMBIA

Ministry of Transportation
and Infrastructure

Designated Inspection Facility

(DIF must issue this form for completion by an autobody technician)

Structural Integrity Declaration Report

Commercial Vehicle Safety and Enforcement Branch

Print Form

☒ **PASS** All requirements met

☐ **FAIL** Requirements NOT met

Designated Inspection Facility Information

Designated Inspection Facility Number: 5 5 8 3 8

Facility Name: ABBOTSFORD TUNE UP

Authorized Inspector Number: 2 0 3 6 3 5

Inspector Name: ARIS YUSOF

Inspector Signature: [Signature]

Date: 08/09/2022 Decal No.: PT86235

Vehicle Information

Owner: Suburban Auto

Registration # 11106761 Plate # N/A

Address: 7111 NO8 RD

VIN # 5FNRL65H61EB570841

City: Richmond Prov: BC PC: V6W4 Make: Honda Model: Odyssey Year: 2014

Structural Integrity Declaration Report

Repair Standard and Vehicles Dimensions

1. I confirm that the repair / rebuild process for this vehicle has met or exceeded the rebuilding standards specified by the Inter-Industry Conference On Auto Collision Repair (I-CAR) and / or the Original Equipment Manufacturer (OEM), that the unitized vehicle body repair, including engine cradle, conforms to the OEM dimension standards and that a full-framed vehicle complies with the OEM, I-CAR repair standard.

Wheel alignment (all 4 wheels- attach printout) Alignment performed (facility name and address if other than above):
NAME: AMC Auto

ADDRESS: _____

Please indicate numbers and measurements on diagram below:

From inside vehicle:	Front Left	Front Right
-6.3	Camber	Camber 0.2
2.8	Caster	Caster 2.4
0.00	Toe	Toe -0.05
	SAI	SAI
	Included Angle	Included Angle
	Turning Angle	Turning Angle
	Rear Left	Rear Right
7.1	Camber	Camber -0.9
	Caster	Caster
0.15	Toe	Toe 0.15
	SAI	SAI

Occupant Protection and Vehicle Components

2. I confirm that the assembly of body components have been performed in a manner that provides occupant protection that is equal to or exceeding OEM or I-CAR standards.

3. I confirm that the repairable structural components of the vehicle body have been assembled and repaired in accordance with methods, procedures and standards that will return the components to its original standard, quality and properties in accordance with the OEM, I-CAR standards.

4. I confirm that the assembly joints of the vehicle body are located in places and repaired in accordance with the OEM, I-CAR procedures and standards.

Wheel Alignment

5. I confirm that a four-wheel alignment has been performed and that steering angles and wheel tolerances are within the OEM, requirements for this vehicle. A four-wheel alignment computer printout has been included as part of this declaration.

I certify that this vehicle has been repaired in accordance with OEM/I-CAR standards as noted in items 1 - 5 above.

Technician Name
please print

ARIS YUSOF

Autobody Tech Trade Qualification # 0014-AB-19

Autobody Tech Trade Jurisdiction BC

Technician Signature: [Signature]

ALIGNMENT

☒ PASS

☐ FAIL

Date Rebuilt Completed 08/09/2022

Rebuilder Name (if different from technician) AMC AUTO

Rebuilder Address #3-11435 132A STREET

* The **ORIGINAL** copy of this form must be forwarded to the designated inspection facility indicated above, and **MUST** be retained by the facility.

* This form must be the authentic original version signed by the autobody technician. Any photocopied, modified, altered, or changed form is unacceptable and must be rejected.

* A photocopy must accompany the customer's copy of the Vehicle Inspection Report (CVSE0013).



BRITISH
COLUMBIA

Ministry of Transportation
and Infrastructure

Print Form

Body Integrity Inspection Report

To be completed by the Designated Inspection Facility's Authorized Vehicle Inspector

Designated Inspection Facility Information

Designated Inspection Facility Number

5 5 8 3 8

Authorized Inspector Number

2 0 3 6 3 5

DIF Facility Name ABBOTSFORD TUNE UP

Inspector Name ARIS YUSOF

Inspection Start Date
Day 06 Month 09 Year 2022
Inspection Completion Date
Day 07 Month 09 Year 2022

Inspector Signature

[Signature]

VEHICLE OWNER

Name

Suburban Auto

NAME OF REBUILDER (if other than owner)

Name AMC AUTO

Address

7111 NO 8RD

Address

#3-11435 132A STREET

City

Richmond Prov BC PC V6W1L9

City

SURREY

Prov BC

PC

V3R 7S2

Tel #

778 987 2090

Tel #

7783171840

Vehicle Information

TYPE OF VEHICLE:

☒ Passenger Car

☐ MPV

☒ Truck

☐ Motorhome

☐ Taxi

☐ Bus

Licence Plate N/A

Odometer

136486

Year

2014

Make

Honda

Model

0 Legacy

Registration Number

11106761

VIN/Serial #

5FURL5AG1E510881

I am satisfied that this rebuilt motor vehicle is the same as the one described in the record of rebuilding.

☒ Yes

☐ No

Requirements of Rebuilding		Components		R	C	VIM Reference Section	Components		R	C	VIM Reference Section
Photographs prior to rebuilding clearly showing vehicle damage	<input checked="" type="checkbox"/> Yes	STRUT				8 - 4	REAR STRUT TOWER				8 - 4 (b)
		- Left					- Left				
Structural Integrity Declaration Report	<input checked="" type="checkbox"/> Yes	- Right				8 - 19	- Right				8 - 5
		HINGE (A) PILLAR					BUMPERS (Front/Rear)				
4 Wheel Alignment Printout	<input checked="" type="checkbox"/> Yes	- Left				8 - 19	CROSSMEMBER				8 - 3 (c)
		- Right					HOOD				
Welded and structural components that require protection have been protected as required by OEM or I-CAR standard.	<input checked="" type="checkbox"/> Yes	CENTRE (B) PILLAR				8 - 19	RAD SUPPORT				8 - 1
		- Left					BODY				
Vehicle meets symmetric and asymmetric specifications as indicated on the Structural Integrity Declaration Report.	<input checked="" type="checkbox"/> Yes	- Right				8 - 19	FRAME				8 - 2
		LOCK (C) PILLAR					BULKHEAD (cowl)				
		- Left				8 - 19	DOORS				8 - 6
		- Right					QUARTER PANELS				
		ROCKER PANEL				8 - 19	- Left				8 - 2 (c)
		- Left					- Right				
		- Right				8 - 19	FLOOR PAN				8 - 4 (a)

Front bumper hood headlight
Cooling Assembly

"R" marked when item rejected
"C" marked when item corrected

I certify that this rebuilt vehicle meets all Structural Integrity requirements as defined in the Motor Vehicle Act Regulations and the BC Vehicle Inspection Manual.

Authorized Inspector Name (print) ARIS YUSOF

Signature

[Signature]

NAPA AUTO CARE CENTRE LTD.

1000 HWY 101 RD
SHERBROOKE, QC

Tel: 888-888-8888
Fax: 888-888-8888

Customer: WILSON, J.	Date: 9/7/2022 6:34:11 PM
Company: WILSON, J.	VIN: 5FNRL5H61EB510841
License No: 13486	Technician: ARIS
Order No: 13486	Order No:

VEHICLE ALIGNMENT REPORT

HONDA CR-V 2014-2015

Primary Angles			Initial	Specifications		Final
				Min.	Max.	
Front	Caster	Left	2.4°	2.0°	3.2°	2.8°
		Right	2.5°	2.0°	3.2°	2.4°
	Camber	Left	-0.3°	-0.8°	0.8°	-0.3°
		Right	0.2°	-0.8°	0.8°	0.2°
	Toe	Left	-0.1°	-0.10°	0.10°	0.00°
		Right	-0.1°	-0.10°	0.10°	-0.05°
Rear	Caster	Left	-1.3°	-1.3°	0.3°	-0.1°
		Right	-1.3°	-1.3°	0.3°	-0.1°
	Camber	Left	0.20°	0.00°	0.15°	0.15°
		Right	0.15°	0.00°	0.15°	0.15°
	Toe	Left	0.00°	0.00°	0.30°	0.30°
		Right	0.00°	0.00°	0.30°	0.30°
Rear Axle			0.0°	-----	-----	0.0°
Secondary Angles			Initial	Specifications		Final
				Min.	Max.	
SAI	Left	Left	11.8°	-----	-----	11.8°
		Right	11.7°	-----	-----	11.7°
Included Angle	Left	Left	11.8°	-----	-----	11.8°
		Right	11.8°	-----	-----	11.8°
Toe Out On Turn	Left	Left	-----	0.0°	0.0°	-----
		Right	-----	0.0°	0.0°	-----
Max min Turns	Left	Left	-----	40.1°	44.1°	-----
		Right	-----	40.1°	44.1°	-----
Toe Curve Change	Left	Left	-----	-----	-----	-----
		Right	-----	-----	-----	-----
Srbach	Left	Left	0.1°	-----	-----	0.1°
		Right	0.0°	-----	-----	0.0°
Track Width Diff	Left	Left	0.2°	-----	-----	0.0°
		Right	0.1°	-----	-----	0.1°
Front Ride Height	Left	Left	-----	-----	-----	-----
		Right	-----	-----	-----	-----
Rear Ride Height	Left	Left	-----	-----	-----	-----
		Right	-----	-----	-----	-----
Total Angle			-----	-----	-----	-----

THANK YOU FOR YOUR SERVICE