



Private Vehicle Inspection Report

Decal Number: **FW42703**
 Decal Expiry Date: **2023-Dec-31**
 Inspection Number: **20339772**

Inspection Result:
PASS

Facility: ABBOTSFORD TUNE-UP CENTER / S5838
 Inspector: MOHAMMAD YUSOF, MOHAMMAD ARIS / 203635
 Work Order Number: 16125

Inspection Type: Complete
 Inspection Class: Class 1 - Light Vehicle with LGVW 5500 kg or less
 Inspection Reason: Salvage Vehicle

Inspection Start Date/Time: 2022-Dec-02 01:00 PM
 Inspection Complete Date/Time: 2022-Dec-02 03:00 PM
 Collision Repair Facility: AMC AUTO
 Collision Repair Facility Phone: (778) 317-1840
 Collision Repair Technician: ARIS YUSOF

Vehicle Jurisdiction: British Columbia
 Registration Number: 13181982
 VIN: JM1DKFC75K1457150
 Plate Number:
 Licenced GVW (kg): 0
 Vehicle Year: 2019
 Make: MAZDA

Brake Type: Hydraulic
 Fuel Type: Gasoline
 Odometer: 12029 KM
 Hub Odometer:
 Body Style: 4 Door Stationwagon
 Model:

Owner/Lessee Name: ANI ENTERPRISE LTD., ANI ENTERPRISE LTD.
 Address: 333 TWELFTH STREET
 City: New Westminster
 Province/State: British Columbia
 Postal Code/ZIP: V3M4H5
 Country: Canada

	Result	Comment
Vehicle Identification (VIN)	Passed	
Section 1 - Power Train	Passed	
Section 2 - Suspension	Passed	
Section 3 - Brake System	Passed	
Section 3H - Hydraulic Brakes	Passed	
Section 4 - Steering	Passed	
Section 5 - Instruments and Auxiliary Equipment	Passed	
Section 6 - Lamps	Passed	
Section 7 - Electrical System	Passed	
Section 8 - Frame and Body	Passed	
Section 9A - Tires	Passed	
Section 9B - Wheels	Passed	
Section 10 - Coupling Devices	Not Applicable	
Section 11 - Other Vehicle Components	Passed	

Tire Tread Depth (mm)

Axles (front)	Outer Left	Inner left	Inner Right	Outer Right	Steering Axle?
1	6.5			6.5	✓
2	8			8	

Comment:

Brake Lining/Pad Measurement (mm)				Rotor Thickness or Drum Inside Diameter Measurement (mm)			
Axles (front)	Lining/Pad	Left	Right	Axles (front)	Rotor/Drum	Left	Right
1	Pad	8	8	1	Rotor	25.90	25.19
2	Pad	7	7	2	Rotor	9.83	9.89

Comment:

Inspection Comments:

Has this Vehicle been road tested? Yes When? After Inspection

Name of the person who did the road test: ARIS

Inspector Name: MOHAMMAD YUSOF, MOHAMMAD ARIS

Signature: 

This Inspection Report was submitted to CVSE on 2022-Dec-03 10:08 AM

The Inspector's signature above is certification that this vehicle has been inspected to the requirements of the Motor Vehicle Act and Regulations.

NOTICE: KEEP THIS VEHICLE INSPECTION REPORT WITH VEHICLE REGISTRATION.

The personal information collected on this form is collected under the authority of section 216 of the Motor Vehicle Act and Division 25 of the Motor Vehicle Act Regulations. It is collected for the purpose of processing this vehicle inspection and for generally administering the Vehicle Inspection Program and the National Safety Code (e.g. regulating carriers, authorized inspectors, and designated inspection facilities). If you have any questions about the collection of this information, you may contact the Sr. Manager, NSC/MIP at the Commercial Vehicle Safety Enforcement

CVSE0013

12/3/2022 10:08:45 AM



BRITISH COLUMBIA

Ministry of Transportation and Infrastructure

Print Form

Body Integrity Inspection Report

To be completed by the Designated Inspection Facility's Authorized Vehicle Inspector

Designated Inspection Facility Information

Designated Inspection Facility Number

5 5 8 3 8

Authorized Inspector Number

203635

DIF Facility Name ABBOTSFORD TUNE UP

Inspector Name

Aris Yusof

Inspection Start Date

02 / 12 / 2022

Inspection Completion Date

02 / 12 / 2022

Inspector Signature

[Signature]

VEHICLE OWNER

Name

Aris Enterprise

NAME OF REBUILDER

AMC AUTO

Address

333 twelfth ave.

Address

11435 132A STREET

City

NEW WEST BC PC V3A 4H5

City

SURREY

Prov BC

PC V3R7S2

Tel #

604 767 1933

Tel #

7783171840

Vehicle Information

TYPE OF VEHICLE:

Passenger Car

MPV

Truck

Motorhome

Taxi

Bus

Licence Plate N/A

Odometer

12029

Year

2019

Make

mazda

Model

CX-3

Registration Number

13181922

VIN/Serial #

JM1VKAF675K1457150

I am satisfied that this rebuilt motor vehicle is the same as the one described in the record of rebuilding.

Yes

No

Requirements of Rebuilding		Components		R	C	VIM Reference Section	Components		R	C	VIM Reference Section	
Photographs prior to rebuilding clearly showing vehicle damage	<input checked="" type="checkbox"/> Yes	STRUT				8-4	REAR STRUT TOWER				8-4 (b)	
Structural Integrity Declaration Report	<input checked="" type="checkbox"/> Yes	- Left					- Left					
		- Right					- Right					
4 Wheel Alignment Printout	<input checked="" type="checkbox"/> Yes	HINGE (A) PILLAR				8-19	BUMPERS (Front/Rear)		<input checked="" type="checkbox"/>		8-5	
		- Left					CROSSMEMBER					8-3 (c)
Welded and structural components that require protection have been protected as required by OEM or I-CAR standard.	<input checked="" type="checkbox"/> Yes	- Right				8-19	HOOD		<input checked="" type="checkbox"/>		8-1	
		CENTRE (B) PILLAR					RAD SUPPORT		<input checked="" type="checkbox"/>			8-2
		- Left					BODY		<input checked="" type="checkbox"/>			8-3
Vehicle meets symmetric and asymmetric specifications as indicated on the Structural Integrity Declaration Report.	<input checked="" type="checkbox"/> Yes	LOCK (C) PILLAR				8-19	FRAME		<input checked="" type="checkbox"/>		8-3	
		- Left					BULKHEAD (cowl)					
		- Right				DOORS					8-6	
		ROCKER PANEL				8-19	QUARTER PANELS					8-2 (c)
- Left				- Left								
- Right					- Right							
		FLOOR PAN									8-4 (a)	

front bumper assembly hood fenders Rad support, Amen suspension

"R" marked when item rejected "C" marked when item corrected

I certify that this rebuilt vehicle meets all Structural Integrity requirements as defined in the Motor Vehicle Act Regulations and the BC Vehicle Inspection Manual.

Authorized Inspector Name (print)

Aris Yusof

Signature

[Signature]



BRITISH COLUMBIA

Ministry of Transportation and Infrastructure

Designated Inspection Facility (DIF must issue this form for completion by an autobody technician) Structural Integrity Declaration Report

Commercial Vehicle Safety and Enforcement Branch

Print Form

PASS All requirements met

FAIL Requirements NOT met

Designated Inspection Facility Information

Designated Inspection Facility Number: **55838**

Facility Name: **ABBOTSFORD TUNE UP**

Authorized Inspector Number: **203635**

Inspector Name: **Arif Yusof**

Inspector Signature: *[Signature]*

Date: **02/12/2022** Decal No.: **FW42703**

Vehicle Information

Owner: **Tune Motors**

Registration # **13181982** Plate # **N/A**

Address: **333 Highway 101**

VIN # **JM1DKFC57K1457150**

City: **NEW WEST** Prov: **B.C.** PCV # **3M415**

Make: **Mazda** Model: **CR3** Year: **2019**

Structural Integrity Declaration Report

Repair Standard and Vehicles Dimensions

1. I confirm that the repair / rebuild process for this vehicle has met or exceeded the rebuilding standards specified by the Inter-Industry Conference On Auto Collision Repair (I-CAR) and / or the Original Equipment Manufacturer (OEM), that the unitized vehicle body repair, including engine cradle, conforms to the OEM dimension standards and that a full-framed vehicle complies with the OEM, I-CAR repair standard.

Occupant Protection and Vehicle Components

2. I confirm that the assembly of body components have been performed in a manner that provides occupant protection that is equal to or exceeding OEM or I-CAR standards.

3. I confirm that the repairable structural components of the vehicle body have been assembled and repaired in accordance with methods, procedures and standards that will return the components to its original standard, quality and properties in accordance with the OEM, I-CAR standards.

4. I confirm that the assembly joints of the vehicle body are located in places and repaired in accordance with the OEM, I-CAR procedures and standards.

Wheel Alignment

5. I confirm that a four-wheel alignment has been performed and that steering angles and wheel tolerances are within the OEM, requirements for this vehicle. A four-wheel alignment computer printout has been included as part of this declaration.

I certify that this vehicle has been repaired in accordance with OEM/I-CAR standards as noted in items 1 - 5 above.

Technician Name please print: **ARIS YUSOF**

Autobody Tech Trade Qualification # **0014-AB-19**

Autobody Tech Trade Jurisdiction: **BC**

Technician Signature: *[Signature]*

Wheel alignment (all 4 wheels- attach printout) Alignment performed (facility name and address if other than above):
NAME: **Dynamic Auto**

ADDRESS:

Please indicate numbers and measurements on diagram below:
From inside vehicle:

	Front Left	Front Right
Camber	-0.4	Camber -0.2
Caster	4.9	Caster 4.1
Toe	0.20	Toe -0.10
SAI		SAI
Included Angle		Included Angle
Turning Angle		Turning Angle
	Rear Left	Rear Right
Camber	-1.5	Camber -1.1
Caster		Caster
Toe	0.10	Toe 0.25
SAI		SAI

ALIGNMENT PASS FAIL

Date Rebuilt Completed: **02/12/2022**

Rebuilder Name (if different from technician): **AMC Auto**

Rebuilder Address: **#31455 132A St**

* The ORIGINAL copy of this form must be forwarded to the designated inspection facility indicated above, and MUST be retained by the facility.
* This form must be the authentic original version signed by the autobody technician. Any photocopied, modified, altered, or changed form is unacceptable and must be rejected.
* A photocopy must accompany the customer's copy of the Vehicle Inspection Report (CVSE0013).

DYNAMIC AUTO CENTRE LTD.

UNIT #105 - 8918 HOLT RD
SURREY, BC

Phone Number: 604-501-9700
Fax Number: 604-501-9701

Customer: inline	Date: 9/19/2022 5:08:42 PM
Company:	VIN: FM1DKFC72J1302277
License No:	Technician: ARIS
Odometer: 30833	Order No:

VEHICLE ALIGNMENT REPORT

MAZDA, 2018, CX-5 AWD From VIN 300001

Primary Angles			Initial	Specifications		Final
				Min	Max	
Front	Caster	Left	+2.5°	+1.0°	+6.1°	+2.5°
		Right	+2.8°	+1.0°	+6.1°	+2.8°
	Camber	Left	-0.5°	-1.5°	+0.7°	-0.5°
		Right	0.0°	-1.3°	+0.7°	-0.1°
	Toe	Left	0.30°	-0.10°	+0.25°	0.05°
		Right	-0.25°	-0.10°	+0.25°	-0.10°
Total		0.05°	-0.15°	+0.50°	0.15°	
Rear	Camber	Left	-1.3°	-2.4°	+0.4°	-1.3°
		Right	-1.2°	-2.4°	+0.4°	-1.4°
	Toe	Left	0.00°	-0.05°	+0.40°	0.00°
		Right	0.25°	-0.05°	+0.40°	0.25°
		Total	0.25°	-0.10°	+0.75°	0.25°
	Thrust Angle		0.2°	-0.8°	+0.8°	0.1°
Secondary Angles			Initial	Specifications		Final
				Min	Max	
Caster	Left	12.8°	13.0°	13.0°	12.8°	
	Right	12.6°	13.0°	13.0°	12.6°	
Included Angle	Left	12.2°	-----	-----	12.2°	
	Right	12.8°	-----	-----	12.5°	
Toe Out On Turns	Left	-----	0.0°	0.0°	-----	
	Right	-----	0.0°	0.0°	-----	
Maximum Turns	Left	-----	34.0°	40.0°	-----	
	Right	-----	34.0°	40.0°	-----	
1st Curve Change	Left	-----	-----	-----	-----	
	Right	-----	-----	-----	-----	
Setback	Front	0.1°	-----	-----	0.1°	
	Rear	0.0°	-----	-----	0.0°	
Track Width Diff.		0.6"	-----	-----	0.6"	
Wheel Base Diff.		0.1"	-----	-----	0.0"	
Front Ride Height	Left	-----	-----	-----	-----	
	Right	-----	-----	-----	-----	
Rear Ride Height	Left	-----	-----	-----	-----	
	Right	-----	-----	-----	-----	
Frame Angle		-----	-----	-----	-----	