



Private Vehicle Inspection Report

Decal Number: FT86320
Decal Expiry Date: 2023-Sep-30
Inspection Number: 20265552

Inspection Result: **PASS**

Facility:	ABBOTSFORD TUNE-UP CENTER / S5838	Inspection Type:	Complete	Inspection Start Date/Time:	2022-Sep-28 04:30 PM
Inspector:	MOHAMMAD YUSOF, MOHAMMAD ARIS / 203635	Inspection Class:	Class 1 - Light Vehicle with LGVW 5500 kg or less	Inspection Complete Date/Time:	2022-Sep-29 11:00 AM
Work Order Number:	16019	Inspection Reason:	Salvage Vehicle	Collision Repair Facility:	AMC AUTO
				Collision Repair Facility Phone:	(778) 317-1840
				Collision Repair Technician:	ARIS YUSOF

Vehicle Jurisdiction:	British Columbia	Brake Type:	Hydraulic	Owner/Lessee Name:	INLINE MOTORS LTD., INLINE MOTORS LTD.
Registration Number:	12816952	Fuel Type:	Gasoline	Address:	333 TWELFTH STREET
VIN:	2T1BURHE9JC007084	Odometer:	89895 KM	City:	New Westminster
Plate Number:		Hub Odometer:		Province/State:	British Columbia
Licensed GVW (kg):	0	Body Style:	4 Door Sedan	Postal Code/ZIP:	V3M4H5
Vehicle Year:	2018	Model:		Country:	Canada
Make:	TOYOTA				

	Result	Comment
Vehicle Identification (VIN)	Passed	
Section 1 - Power Train	Passed	
Section 2 - Suspension	Passed	
Section 3 - Brake System	Passed	
Section 3H - Hydraulic Brakes	Passed	
Section 4 - Steering	Passed	
Section 5 - Instruments and Auxiliary Equipment	Passed	
Section 6 - Lamps	Passed	
Section 7 - Electrical System	Passed	
Section 8 - Frame and Body	Passed	
Section 9A - Tires	Passed	
Section 9B - Wheels	Passed	
Section 10 - Coupling Devices	Not Applicable	
Section 11 - Other Vehicle Components	Passed	

Axles (front)	Outer Left	Inner left	Inner Right	Outer Right	Steering Axle?
1	6			6	
2	7			7	✓
Comment:					

Axles (front)	Lining/Pad	Left	Right
1	Pad	10	10
2	Pad	8	8
Comment:			

Axles (front)	Rotor/Drum	Left	Right
1	Rotor	22.27	22.77
2	Rotor	9.45	9.71
Comment:			

Inspection Comments:

Has this Vehicle been road tested? Yes When? After Inspection

Name of the person who did the road test: ARIS

Inspector Name: MOHAMMAD YUSOF, MOHAMMAD ARIS

Signature:

This Inspection Report was submitted to CVSE on 2022-Sep-30 11:05 AM

The Inspector's signature above is certification that this vehicle has been inspected to the requirements of the Motor Vehicle Act and Regulations.

NOTICE: KEEP THIS VEHICLE INSPECTION REPORT WITH VEHICLE REGISTRATION.

The personal information collected on this form is collected under the authority of section 216 of the Motor Vehicle Act and Division 25 of the Motor Vehicle Act Regulations. It is collected for the purpose of processing this vehicle inspection and for generally administering the Vehicle Inspection Program and the National Safety Code (e.g. regulating carriers, authorized inspectors, and designated inspection facilities). If you have any questions about the collection of this information, you may contact the Sr. Manager, NSC/MP at the Commercial Vehicle Safety Enforcement

CVSE0013

9/30/2022 11:05:24 AM



BRITISH COLUMBIA

Ministry of Transportation and Infrastructure

Designated Inspection Facility

(DIF must issue this form for completion by an autobody technician)

Structural Integrity Declaration Report

Commercial Vehicle Safety and Enforcement Branch

Print Form

PASS All requirements met

FAIL Requirements NOT met

Designated Inspection Facility Information

Designated Inspection Facility Number: 85838

Facility Name: Abbotsford Tune Up

Authorized Inspector Number: 203635

Inspector Name: Ars Vilosof

Inspector Signature: [Signature]

Date: 29/09/2022 Decal No.: FT86320

Vehicle Information

Owner: Talone Motors LTD Registration # 12816952 Plate # N1A

Address: 7333 12th St VIN # JT1BCRHE9TC007084

City: New West Prov BC PC U3M445 Make Toyota Model Corolla Year 2019

Structural Integrity Declaration Report

Repair Standard and Vehicles Dimensions

1. I confirm that the repair / rebuild process for this vehicle has met or exceeded the rebuilding standards specified by the Inter-Industry Conference On Auto Collision Repair (I-CAR) and / or the Original Equipment Manufacturer (OEM), that the unitized vehicle body repair, including engine cradle, conforms to the OEM dimension standards and that a full-framed vehicle complies with the OEM, I-CAR repair standard.

Wheel alignment (all 4 wheels- attach printout) Alignment performed (facility name and address if other than above): NAME: AWC Auto

ADDRESS: [Blank]

Please indicate numbers and measurements on diagram below: From inside vehicle: Front Left Front Right

Occupant Protection and Vehicle Components

2. I confirm that the assembly of body components have been performed in a manner that provides occupant protection that is equal to or exceeding OEM or I-CAR standards.

3. I confirm that the repairable structural components of the vehicle body have been assembled and repaired in accordance with methods, procedures and standards that will return the components to its original standard, quality and properties in accordance with the OEM, I-CAR standards.

4. I confirm that the assembly joints of the vehicle body are located in places and repaired in accordance with the OEM, I-CAR procedures and standards.

Table with columns for Front Left, Front Right, Rear Left, Rear Right and rows for Camber, Caster, Toe, SAI, Included Angle, Turning Angle.

Wheel Alignment

5. I confirm that a four-wheel alignment has been performed and that steering angles and wheel tolerances are within the OEM, requirements for this vehicle. A four-wheel alignment computer printout has been included as part of this declaration.

I certify that this vehicle has been repaired in accordance with OEM/I-CAR standards as noted in items 1 - 5 above.

Table with columns for Front Left, Front Right, Rear Left, Rear Right and rows for Camber, Caster, Toe, SAI.

Technician Name please print: Ars Vilosof

Autobody Tech Trade Qualification #: 0014-AB-19

Autobody Tech Trade Jurisdiction: BC

Technician Signature: [Signature]

ALIGNMENT PASS FAIL

Date Rebuilt Completed: [Blank]

Rebuilder Name (if different from technician): AWC Auto

Rebuilder Address: #3 11435 137A St

* The ORIGINAL copy of this form must be forwarded to the designated inspection facility indicated above, and MUST be retained by the facility. * This form must be the authentic original version signed by the autobody technician. Any photocopied, modified, altered, or changed form is unacceptable and must be rejected. * A photocopy must accompany the customer's copy of the Vehicle Inspection Report (CVSE0013).



Body Integrity Inspection Report

To be completed by the Designated Inspection Facility's Authorized Vehicle Inspector

Designated Inspection Facility Information

Designated Inspection Facility Number 55838 Authorized Inspector Number 203635
 DIF Facility Name Abbotsford Tune Up Inspector Name Ans Ylesof
 Inspection Start Date 28 09 2022 Inspection Completion Date 29 09 2022 Inspector Signature [Signature]

VEHICLE OWNER NAME OF REBUILDER (if other than owner)

Name Francis Moore Name AME Auto Corp
 Address 333 Tweeth St Address #3-11435 132A St
 City New West Prov BC PC V3R4K5 City Surrey Prov BC PC V3R7K5
 Tel # _____ Tel # 778 317 1860

Vehicle Information

TYPE OF VEHICLE: Passenger Car MPV Truck Motorhome Taxi Bus
 Licence Plate N1A Odometer 89827 Year 2018 Make Toyota Model Corolla
 Registration Number 12816952 VIN/Serial # 8T1BKRHE9TC007084

I am satisfied that this rebuilt motor vehicle is the same as the one described in the record of rebuilding. Yes No

Requirements of Rebuilding	Components	R	C	VIM Reference Section	Components	R	C	VIM Reference Section
Photographs prior to rebuilding clearly showing vehicle damage <input checked="" type="checkbox"/> Yes	STRUT			8-4	REAR STRUT TOWER			8-4 (b)
	- Left				- Left			
Structural Integrity Declaration Report <input checked="" type="checkbox"/> Yes	- Right			8-19	- Right			
	HINGE (A) PILLAR				BUMPERS (Front/Rear)		<input checked="" type="checkbox"/>	8-5
4 Wheel Alignment Printout <input checked="" type="checkbox"/> Yes	- Left				CROSSMEMBER			8-3 (c)
	- Right				HOOD		<input checked="" type="checkbox"/>	8-1
Welded and structural components that require protection have been protected as required by OEM or I-CAR standard. <input checked="" type="checkbox"/> Yes	CENTRE (B) PILLAR			8-19	RAD SUPPORT		<input checked="" type="checkbox"/>	
	- Left				BODY			8-2
	- Right			FRAME		<input checked="" type="checkbox"/>	8-3	
	LOCK (C) PILLAR			8-19	BULKHEAD (cowl)			
- Left			DOORS				8-6	
Vehicle meets symmetric and asymmetric specifications as indicated on the Structural Integrity Declaration Report. <input checked="" type="checkbox"/> Yes	- Right			8-19	QUARTER PANELS			8-2 (c)
	ROCKER PANEL				- Left			
	- Left			- Right				
	- Right			FLOOR PAN				8-4 (a)

Front bumper hood fender "R" marked when item rejected
Rod supports cooling assembly "C" marked when item corrected
Suspension

I certify that this rebuilt vehicle meets all Structural Integrity requirements as defined in the Motor Vehicle Act Regulations and the BC Vehicle Inspection Manual.
 Authorized Inspector Name (print) _____ Signature [Signature]

DYNAMIC AUTO CENTRE LTD.

UNIT #105 - AXIS BOLT RD
SURREY, BC

Phone Number: 604-501-5790
Fax Number: 604-501-9791

Customer:	inline motors	Date:	9/29/2022 12:54:43 PM
Company:	UN	Technician:	20burhe9jc007084
License No:		Order No:	
Odometer:	89895		

VEHICLE ALIGNMENT REPORT

TOYOTA 2017 COROLLA 215.45 R17 04/2014 -

Primary Angles			Initial	Specifications		Final
				Min.	Max.	
Front	Caster	Left	3.5°	2.2°	3.7°	3.5°
		Right	3.2°	2.2°	3.7°	3.1°
	Camber	Left	-1.1°	-1.3°	0.2°	-1.1°
		Right	-0.8°	-1.3°	0.2°	-0.6°
	Toe	Left	0.10°	-0.10°	0.10°	0.10°
		Right	-0.10°	-0.10°	0.10°	-0.10°
	Total	0.00°	-0.20°	0.20°	0.00°	
Rear	Camber	Left	-1.7°	-2.2°	-0.7°	-1.7°
		Right	-1.2°	-1.2°	-0.7°	-1.2°
	Toe	Left	0.05°	0.00°	0.30°	0.05°
		Right	0.20°	0.00°	0.30°	0.20°
		Total	0.25°	0.00°	0.60°	0.25°
	Thrust Angle	0.1°	---	---	0.1°	
Secondary Angles			Initial	Specifications		Final
				Min.	Max.	
SAI	Left		13.1°	12.6°	12.6°	13.1°
	Right		12.8°	12.6°	12.6°	12.8°
Included Angle	Left		12.6°	---	---	12.6°
	Right		12.2°	---	---	12.2°
Toe Out On Turns	Left		---	0.0°	0.0°	---
	Right		---	0.0°	0.0°	---
Maximum Turns	Left		---	36.2°	40.2°	---
	Right		---	36.2°	40.2°	---
Toe Curve Change	Left		---	---	---	---
	Right		---	---	---	---
Setback	Front		---	---	---	0.1"
	Rear		---	---	---	0.1"
Track Width Diff.			---	---	---	-0.1"
Wheel Base Diff.			---	---	---	0.0"
Front Ride Height	Left		---	3.7"	3.7"	---
	Right		---	3.7"	3.7"	---
Rear Ride Height	Left		---	2.0"	2.0"	---
	Right		---	2.0"	2.0"	---
Frame Angle			---	---	---	---