

Private Vehicle Inspection Report

Decal Number: **Decal Expiry Date:** Inspection Number:

FV14141 2023-Oct-31 20291986

Inspection Result: **PASS**

Facility:

Inspector:

ABBOTSFORD TUNE-UP CENTER /

MOHAMMAD YUSOF, MOHAMMAD ARIS /

203635

Inspection Type: Inspection Class:

Complete

Class 1 - Light Vehicle with LGVW 5500

kg or less

Inspection Start Date/Time:

2022-Oct-20 03:00 PM

Inspection Complete Date/Time: 2022-Oct-21 02:30 PM

Collision Repair Facility:

AMC AUTO

Work Order Number:

Inspection Reason:

Salvage Vehicle

Collision Repair Facility Phone: Collision Repair Technician:

(778) 317-1840 ARIS YUSOF

Vehicle Jurisdiction:

British Columbia

Brake Type:

Hydraulic

Owner/Lessee Name:

INLINE MOTORS, INLINE

Registration Number: VIN:

2T1BURHE1HC819277

Fuel Type: Odometer:

Gasoline 43299 KM

333 TWELFTH STREET

Plate Number:

City: Province/State:

New Westminster British Columbia

Licenced GVW (kg): Vehicle Year:

0

Body Style:

4 Door Sedan

Postal Code/ZIP:

Make:

2017 TOYOTA Model:

Country:

V3MH5

Canada

Result	Comment
Passed	
Not Applicable	
Passed	
	Passed Not Applicable

Tire Tread Depth (mm)

Axles (front)	Outer Left	Inner left	Inner Right	A 4 B 44	
1	. 6		mater ragas	Outer Right	Steering Axle?
2	6		<u> </u>	6	· · · · · · · · · · · · · · · · · · ·
Comment:		<u></u>	<u> </u>	6	

Brake Lining/Pad Measurement (mm)

Axles (front)	Lining/Pad	Left	Right
1	Pad	8	8
2	Pad	6	6

Rotor Thickness or Drum Inside Diameter Measurement (mm)

Axles (front)	Rotor/Drum	Left	Right
1	Rotor	22.41	22.73
2	Rotor	9.43	9,22

Inspection Comments:

Has this Vehicle been road tested?

When?

After Inspection

Inspector Name:

MOHAMMAD YUSOF, MOHAMMAD ARIS

This Inspection Report was submitted to CVSE on 2022-Oct-23 09:43 PM

The Inspector's signature above is certification that this vehicle has been inspected to the requirements of the Motor Vehicle Act and Regulations.

NOTICE: KEEP THIS VEHICLE INSPECTION REPORT WITH VEHICLE REGISTRATION.

The personal information collected on this form is collected under the authority of section 216 of the Motor Vehicle Act and Division 25 of the Motor Vehicle Act Regulations. It is collected for the purpose of processing this vehicle inspection and for generally administering the Vehicle Inspection Program and the National Safety Code (e.g. regulating carriers, authorized inspectors, and designated inspection facilities). If you have any questions about the collection of this information, you may contact the Sr. Manager, NSC/MP at the Commercial Vehicle Safety Enforcement

CVSE0013

10/23/2022 9:43:59 PM





Ministry of Transportation and Infrastructure

Body Integrity Inspection Report

Designated Inspection Facility Info	rmation	10000	ompleted by t	ne Designa	ted Inspection Facility's A	uthorized Ve	hicle Inspe
Designated Inspection Facility Nu							
DIF Facility Name ABBOTSFORD T		S 5 8 3 8	Autho	rized Inspec	tor Number 2 0 3	6 3	5
inspection Start Date			Inspec	tor Name A	RIS YUSOF		 -
2010200	2 2	Inspection Completion Date		-		$\widehat{}$	
Day Month Year VEHICLE OWNER	Day	Month Year	l 2 Inspec	tor Signatur	e de le		_
Name			NAME	OF REBL	JILDER (if other than own	er)	
Loline	M	to s	Name	AMC AL			
Address $\frac{Z_{n.e.m.}}{333}$	we ff		Address	#3,11,62	5 132A STREET		· · · · · · · · · · · · · · · · · · ·
City Was was	Pro	VD PC // C		#3-1143	3 132A STREET		
		BC PCV3M4	Eity	SURREY	Pro	V BC PC	V3R7S2
604549	1833	2.	Tel#	778317 ⁻	1840		
/éhicle Information							
TYPE OF VEHICLE:	Passenge	Car MPV	☐ Truck	[] A	deterberer ===		
icence Plate N/A O)dometer «			LJ N	Motorhome 🔲 Tax	i 🗌 Bı	JS.
		13299 Year	2017	Make	Togota	Model	
Registration Number 1916	2170	VIN/Serial #	0-1	21. d		<u></u>	woll
am satisfied that this rebuilt mote	Orvohiele :-	viiv/senai#	2//	15V1/2	HEIMOD	19	277
am satisfied that this rebuilt moto Requirements of Rebuild	ing	the same as the one des	cribed in the r	ecord of rel	building. 🏿 🔻 Y	es [
						€2 [l No
hotographs prior to rebuilding		Components	R C	VIM Reference Section	Components	es [VIM Referen
Photographs prior to rebuilding clearly showing vehicle damage		STRUT	R C	VIM Reference			VIM Referen Section
learly showing vehicle damage	✓ Yes	STRUT - Left	R C	VIM Reference	Components		VIM Referen Section
learly showing vehicle damage itructural integrity Declaration		STRUT - Left - Right	R C	VIM Reference Section	Components REAR STRUT TOWER		VIM Referen
itearly showing vehicle damage structural integrity Declaration deport	✓ Yes	STRUT - Left - Right HINGE (A) PILLAR	R C	VIM Reference Section	Components REAR STRUT TOWER - Left - Right	R C	VIM Referer Section 8 - 4 (b)
itearly showing vehicle damage structural integrity Declaration deport	✓ Yes	STRUT - Left - Right HINGE (A) PILLAR - Left	R C	VIM Reference Section	Components REAR STRUT TOWER - Left	R C	VIM Referer Section 8 - 4 (b)
dearly showing vehicle damage structural integrity Declaration deport Wheel Alignment Printout	Yes Yes Yes Yes Yes Yes N Yes N Yes N Yes N	STRUT - Left - Right HINGE (A) PILLAR - Left - Right	RC	VIM Reference Section 8 - 4	Components REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear)	R C	VIM Referer Section 8 - 4 (b) 8 - 5 8 - 3 (c)
tructural integrity Declaration deport Wheel Alignment Printout	Yes Yes Yes Yes Yes Yes N Yes N Yes N Yes N	STRUT - Left - Right HINGE (A) PILLAR - Left	RC	VIM Reference Section 8 - 4	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD	RC	VIM Referer Section 8 - 4 (b)
tructural integrity Declaration Report Wheel Alignment Printout Velded and structural components that require	Yes Yes Yes Yes Yes Yes N Yes N Yes N Yes N	STRUT - Left - Right HINGE (A) PILLAR - Left - Right	RC	8 - 4	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT	R C	VIM Referer Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1
Tearly showing vehicle damage structural integrity Declaration Report Wheel Alignment Printout Velded and structural omponents that require protected are structured by the content of t	Yes Yes Yes Yes Yes Yes N Yes N Yes N Yes N	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR	RC	VIM Reference Section 8 - 4	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY	RC	VIM Refere Section 8 - 4 (b) 8 - 5 8 - 3 (c)
tructural integrity Declaration Report Wheel Alignment Printout Velded and structural omponents that require protected is required by OEM or I-CAR	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right	RC	8 - 4	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME	RC	VIM Referes Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1
tructural integrity Declaration Report Wheel Alignment Printout Velded and structural omponents that require protected is required by OEM or I-CAR	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR	RC	8 - 4 8 - 19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl)	RC	VIM Referes Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1
tructural integrity Declaration deport Wheel Alignment Printout Velded and structural components that require rotection have been protected and structural structural components that require rotection have been protected as required by OEM or I-CAR tandard.	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left	RC	8 - 4	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME	RC	VIM Referes Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3
Structural Integrity Declaration Report Wheel Alignment Printout Velded and structural components that require protected by OEM or I-CAR tandard.	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right	RC	8 - 4 8 - 19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl)	RC	VIM Referes Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3
Structural Integrity Declaration Report Wheel Alignment Printout Velded and structural omponents that require protected by OEM or I-CAR tandard. Sehicle meets symmetric and symmetric specifications as indicated on the Structural	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL	RC	8 - 4 8 - 19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS	RC	VIM Refere Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3
Tearly showing vehicle damage structural Integrity Declaration Report Wheel Alignment Printout Velded and structural omponents that require protected by OEM or I-CAR tandard. Sehicle meets symmetric and symmetric specifications as indicated on the Structural	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right	RC	8 - 4 8 - 19 8 - 19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left	RC	VIM Refere Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3
tructural Integrity Declaration deport Wheel Alignment Printout Welded and structural omponents that require rotection have been protected are required by OEM or I-CAR tandard. The protection has been protected as required by OEM or I-CAR tandard. The protection has been protected as required by OEM or I-CAR tandard.	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL	RC	8 - 4 8 - 19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right	RC	VIM Refere Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c)
Hearly showing vehicle damage itructural integrity Declaration Report Wheel Alignment Printout Welded and structural omponents that require rotection have been protected is required by OEM or I-CAR tandard. Wehicle meets symmetric and symmetric specifications as adicated on the Structural	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL - Left - Right	RC	8 - 4 8 - 19 8 - 19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right FLOOR PAN	RC	VIM Refere Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c)
Hearly showing vehicle damage itructural integrity Declaration Report Wheel Alignment Printout Welded and structural omponents that require rotection have been protected is required by OEM or I-CAR tandard. Wehicle meets symmetric and symmetric specifications as adicated on the Structural	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL - Left	R C	8-4 8-19 8-19 8-19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right FLOOR PAN "R" market	R C	VIM Refered Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c) 8 - 4 (a) 1 rejected
Tearly showing vehicle damage structural Integrity Declaration Report Wheel Alignment Printout Velded and structural omponents that require protected by OEM or I-CAR tandard. Sehicle meets symmetric and symmetric specifications as indicated on the Structural	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL - Left - Right	RC	8-4 8-19 8-19 8-19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right FLOOR PAN "R" market	R C	VIM Reference Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c) 8 - 4 (a) 10 rejected
Structural Integrity Declaration Report Wheel Alignment Printout Velded and structural components that require protected by OEM or I-CAR tandard. Welchicle meets symmetric and symmetric specifications as andicated on the Structural integrity Declaration Report.	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL - Left - Right	R C	8-4 8-19 8-19 8-19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right FLOOR PAN "R" market	RC	VIM Referes Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c) 8 - 4 (a) a rejected
Structural Integrity Declaration Report Wheel Alignment Printout Welded and structural components that require protected as required by OEM or I-CAR tandard. Wehicle meets symmetric and symmetric specifications as indicated on the Structural integrity Declaration Report.	Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL - Left - Right	R C	8-4 8-19 8-19 8-19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right FLOOR PAN "R" market	R C	VIM Referes Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c) 8 - 4 (a) a rejected
Structural Integrity Declaration Report Wheel Alignment Printout Welded and structural components that require crotection have been protected as required by OEM or I-CAR standard. Sehicle meets symmetric and symmetric specifications as andicated on the Structural integrity Declaration Report.	✓ Yes ✓ Yes ✓ Yes ✓ Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL - Left - Right ROCKER PANEL - Left - Right	R C	8-4 8-19 8-19 8-19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right FLOOR PAN "R" market	R C	VIM Reference Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c) 8 - 4 (a)
Photographs prior to rebuilding clearly showing vehicle damage Structural Integrity Declaration Report 4 Wheel Alignment Printout Welded and structural components that require protection have been protected as required by OEM or I-CAR standard. Wehicle meets symmetric and asymmetric specifications as andicated on the Structural integrity Declaration Report.	Yes Yes Yes Yes Yes	STRUT - Left - Right HINGE (A) PILLAR - Left - Right CENTRE (B) PILLAR - Left - Right LOCK (C) PILLAR - Left - Right ROCKER PANEL - Left - Right ROCKER PANEL - Left - Right	R C	8-4 8-19 8-19 8-19	REAR STRUT TOWER - Left - Right BUMPERS (Front/Rear) CROSSMEMBER HOOD RAD SUPPORT BODY FRAME BULKHEAD (cowl) DOORS QUARTER PANELS - Left - Right FLOOR PAN "R" market	R C	VIM Reference Section 8 - 4 (b) 8 - 5 8 - 3 (c) 8 - 1 8 - 2 8 - 3 8 - 6 8 - 2 (c) 8 - 4 (a)

DYNAMICAUTO CENTRE LTD.

LNW = 265 - SVOREIGHT ND SERVEREN

新的物理。2015年1月1日 1915年1月1日 - 1915日 - 19 Fax Number: 550-501-4703

Customer:

mine

Dew

10/13/2022 12:33:16 PM

Company:

TY

819277

License No:

Technicom.

ares

Odometer:

43299

Order No.:

VEHICLE ALIGNMENT REPORT

TOYOTA, 2017, COROLLA 215/45 R17 04/2014 -

Primary Angles		Inicai	Specif	Final		
			Min.	Max.	; ; ;	
	Casser	l.eft		est -	A STATE OF THE PERSON ASSESSMENT OF PROPERTY OF PROPERTY OF PERSONS ASSESSMENT OF THE PERSON ASS	The same of the Control of the same of the
	Section 1 to 1	Right		2.3	3.7"	1.54
y-	Caraber	f.eft		-1.3*	12.25	terioristation of the second o
. ont	The last to a parameter of the control of	Right		-1.3"	0.2"	15 At 187
		Left	· 建设设。	-0.10°	0.10"	(, ()
	(stay)	Right	40.75	-0.16	(a life	43,50,50
The second secon	files in the second of the sec	fotal	3.179	-0.20%	0.20°	料度
	Chesher	Tell	1 4	-2.2"	and the same of th	Annex to the second section of the section of the second section of the section of the second section of the se
	g in the Control of the Control of the Control	Right	90 to	77.7	-0.73	
Rear	į	Left	0.10	0.60"	0.30°	0.10
**	TI LINE	Right		0.00°	0.30°	0.15
	See and the second second	Total	1,50	0.05%	. 0.60	0.359
men are manifestational restrictions of the great par	Throat Angle			The second secon	er and 10 th ellers description of Hamiltonian assets for a left with the condi-	0.15
Sarrantal so	rs amalae		Tolleri	Specifi	entions	
Secondary Angles			. Min.	Max.	,	
SAI		í.eft)779	12.6"	12.6"	12.79
on the order of the second section of the section of t	man a transfer of the transfer	Right	12.70	12.6"	12.5°	12.70
included Angle Left		Leil	E & 2	The state of the s	The second secon	118
THE LUCKEL PRINT	EAC.	Right	11.0		We did not not the year in	11.5
Tw Out On T	Ph.	i.eli	na i tito maan maa i rigagamiin garay ah galay ah ili ili ili ili ili ili ili ili ili il	0.0%	0.00	And the control of th
The state of the s	E MARTIN	Right	# 1 # 14 # 14 # 1	0.06	0.09	
Manimum Ti	7	Left	Type to the state of the state	36,2"	40.20	Acethodra, or Service in the control to the special process of the control of the
oranicisticisticisticisticisticisticisticis	.b (3.5	Right	Processor and the	36.29	40.20	
Sand rough	La constant of the constant of	left	The second secon	The second of the second secon	and the designation of the same of the sam	Management of the second of th
focture (minife.	Right	3			
Serback		Front		pri the fill of the control deleted blooding participating consequence.	The of a large agency is integrated with reasonable and integrated behaviored.	Streether transparence (190 - 190 -
		Kear	9.1	,	the side and side and	
mek Wich Lin		e reference and a file of the second of the	ng menganan di Maran di digamatan sebagai kalanggan di panggan M	tit i en gestig get elle. Egden det til förhet en delleggingend i tredskammen	-0.1°	
S level Brace	D::1.					0.1
57 July 1-3 1 25 1 7 1	The state of the second server processes.	i.eft	for the first contractive research in the second of the se	3.7".	2	For the second s
Loui Ride H	cinu	Right	*	3.7"	3.7"	
D van O. 4 . 77	manner, auge operatory), som a volte gest anneret som any species and a second some	EPI	to a select of the selection of the sele	2.01	2.01	marketin before a section of the sec
Rear Ride He	eigni	Right	A THE ASSAULT MANAGEMENT	2,0"	2.0"	
Frame Angle	and the end of the second of the second	and the second s	e de francisco de la companyone de la comp	A Section of Section (Section) and a section of the section (Section) and a section (Section)	All and the second seco	The second of th

www.dynamicamican 335 LS., V. 45 50 C CON'R SERVICE



Ministry of Transportation and Infrastructure

Designated Inspection Facility (DIF must issue this form for completion by an autobody technician) Structural Integrity Declaration Report

Commercial Vehicle Safety and Enforcement Branch

PASS All requirements met	FAI	L Requiremen	4 \$1.00m		
Designated Inspection Facility Information		E Requiremen	ts NOT met		
Designated Inspection Facility Number: S 5 8 3 8	Facility N	ame: ABBOTSFO	RD TUNE UP CENTI		<u> </u>
Authorized Inspector Number: 2 0 3 6 3 5		Name: ARIS YUS			
Inspector Signature:					
Vehicle Information	Date: 2	110/20	Decal N	0.:	
Owner Lacine Motors	Registrat	ion# /2/6	88678	Plate #	N/A
Address 333 ANG CALL ST	VIN#2	TIBUR	HEIMC	- - 879 9 -	
City NEW mes of ProvBC PC/2a/cyco	_Make		Model		7
Structural Integrity Declaration Report		eyota"	Coro	Year	017
Repair Standard and Vehicles Dimonsions	\	VAII			
1. I confirm that the repair / rebuild process for this vehicle has met of exceeded the rebuilding standards specified by the Inter-Industry Co On Auto Collision Repair (I-CAR) and / or the Original Equipment Manufacturer (OEM), that the unitized vehicle body repair, including cradle, conforms to the OEM dimension standards and that a full-france vehicle complies with the OEM, I-CAR repair standard.	nference	NAME: ADDRESS: Please indicate no	umbers and measu	ess if other than a	bove):
Landard Celvi, i-CAK repair standard		From inside vehicl	e: Front Left	Front Right	m ocioyy.
Occupant Protection and Vehicle Components 2. I confirm that the accomply of the		-0.9	Camber	Camber	-0.8
I confirm that the assembly of body components have been performanner that provides occupant protection that is equal to or exceeding or I-CAR standards	rmed in a	3.1	Caster	Caster	3.0
		010	Toe	Toe	0.05
3. I confirm that the repairable structural components of the vehicle	body		SAI	SAI	
have been assembled and repaired in accordance with methods, pro- and standards that will return the components to its original standard and properties in accordance with the OCAL LCAR.			Included Angle	Included Angle	
The control of the co			Turning Angle	Turning Angle	
4. Confirm that the assembly joints of the volide by	n places		Rear Left	Rear Right	
- The OEM, I-CAR procedures and stan	dards.	-1.6	Camber	Camber	-10
wheel Augnment			Caster		-1-2
5. I confirm that a four-wheel alignment has been performed and that steering angles and wheel tolorances.	at .			Caster	
steering angles and wheel tolerances are within the OEM, requirement this vehicle. A four-wheel alignment computer printout has been incompared this declaration.	nts for	0-60	Toe	Toe	0.25
, and deciding of the			SAI	SAI	
I certify that this vehicle has been repaired in accordance with OEM/I-CAI	R				
standards as noted in items 1 - 5 above.	' '				
Technician Name ARIS YUSOF		ALIGN	MENT		FAIL
Autobody Tech Trade Qualification # 0014-AB-19		Date Rebuilt Cor	mpleted 1/1	0/202	Q
Autobody Tech Trade Jurisdiction BC		Rebuilder Name		0	
Technician Signature			⁵⁵ #3 - 11435 132A	STREET	
* The ORIGINAL copy of this form must be forwarded to the designated inspection facility i	indicated abo	We and MIST have	tained bush a facility		· · · · · · · · · · · · · · · · · · ·

This form must be the authentic original version signed by the autobody technician. Any photocopied, modified, altered, or changed form is unacceptable and must be rejected. A photocopy must accompany the customer's copy of the Vehicle Inspection Report (CVSE0013).