



# Private Vehicle Inspection Report

Decal Number: FW42755  
Decal Expiry Date: 2023-Dec-31  
Inspection Number: 20352744

Inspection Result: **PASS**

Facility: ABBOTSFORD TUNE-UP CENTER / S5838  
 Inspector: MOHAMMAD YUSOF, MOHAMMAD ARIS / 203635  
 Work Order Number: 16156  
 Inspection Type: Complete  
 Inspection Class: Class 1 - Light Vehicle with LGWW 5500 kg or less  
 Inspection Reason: Salvage Vehicle  
 Inspection Start Date/Time: 2022-Dec-15 06:00 PM  
 Inspection Complete Date/Time: 2022-Dec-15 09:00 PM  
 Collision Repair Facility: AMC AUTO  
 Collision Repair Facility Phone: (778) 317-1840  
 Collision Repair Technician: ARIS YUSOF

Vehicle Jurisdiction: British Columbia  
 Registration Number: 12102406  
 VIN: 3CZRUSH33HM100006  
 Plate Number:  
 Licenced GVW (kg): 0  
 Vehicle Year: 2017  
 Make: HONDA  
 Brake Type: Hydraulic  
 Fuel Type: Gasoline  
 Odometer: 67872 KM  
 Hub Odometer:  
 Body Style: 4 Door Stationwagon  
 Model: HR-V  
 Owner/Lessee Name: AINI ENTERPRISE LTD., AINI ENTERPRISE LTD.  
 Address: 333 TWELFTH STREET  
 City: New Westminster  
 Province/State: British Columbia  
 Postal Code/ZIP: V3M4H5  
 Country: Canada

	Result	Comment
Vehicle Identification (VIN)	Passed	
Section 1 - Power Train	Passed	
Section 2 - Suspension	Passed	
Section 3 - Brake System	Passed	
Section 3H - Hydraulic Brakes	Passed	
Section 4 - Steering	Passed	
Section 5 - Instruments and Auxiliary Equipment	Passed	
Section 6 - Lamps	Passed	
Section 7 - Electrical System	Passed	
Section 8 - Frame and Body	Passed	
Section 9A - Tires	Passed	
Section 9B - Wheels	Passed	
Section 10 - Coupling Devices	Not Applicable	
Section 11 - Other Vehicle Components	Passed	

Tire Tread Depth (mm)

Axes (front)	Outer Left	Inner left	Inner Right	Outer Right	Steering Axle?
1	6			6	
2	6.5			6.5	✓

Comment:

Brake Lining/Pad Measurement (mm)

Axes (front)	Lining/Pad	Left	Right
1	Pad	6	6
2	Pad	6	6

Comment:

Rotor Thickness or Drum Inside Diameter Measurement (mm)

Axes (front)	Rotor/Drum	Left	Right
1	Rotor	25.46	25.88
2	Rotor	9.88	9.63

Comment:

Inspection Comments:  
 Has this Vehicle been road tested? Yes When? After Inspection  
 Inspector Name: MOHAMMAD YUSOF, MOHAMMAD ARIS

Name of the person who did the road test: ARIS  
 Signature:

This Inspection Report was submitted to CVSE on 2022-Dec-15 11:04 PM  
 The Inspector's signature above is certification that this vehicle has been inspected to the requirements of the Motor Vehicle Act and Regulations.

**NOTICE: KEEP THIS VEHICLE INSPECTION REPORT WITH VEHICLE REGISTRATION.**  
 The personal information collected on this form is collected under the authority of section 216 of the Motor Vehicle Act and Division 25 of the Motor Vehicle Act Regulations. It is collected for the purpose of processing this vehicle inspection and for generally administering the Vehicle Inspection Program and the National Safety Code (e.g. regulating carriers, authorized inspectors, and designated inspection facilities). If you have any questions about the collection of this information, you may contact the Sr. Manager, NSC/MP at the Commercial Vehicle Safety Enforcement



# Body Integrity Inspection Report

To be completed by the Designated Inspection Facility's Authorized Vehicle Inspector

### Designated Inspection Facility Information

Designated Inspection Facility Number

5 5 8 3 8

Authorized Inspector Number

2 0 3 6 3 5

DIF Facility Name ABBOTSFORD TUNE UP

Inspector Name

Aus YUSOP

Inspection Start Date

15 1 2022

Inspection Completion Date

15 1 2022

Inspector Signature

*[Signature]*

### VEHICLE OWNER

Name

Ami Enterprise

Address

333 12th St.

City

NEW WEST Prov BC PC V3M4A8

Tel #

604 767 1433

### NAME OF REBUILDER (if other than owner)

Name

AMC AUTO

Address

3-11435 132A STREET

SURREY

Prov BC PC V3R7S2

Tel #

7783171840

### Vehicle Information

TYPE OF VEHICLE:

- Passenger Car
- MPV
- Truck
- Motorhome
- Taxi
- Bus

Licence Plate N/A

Odometer

67872

Year

2017

Make

Honda

Model

HR-V

Registration Number

12102406

VIN/Serial #

3CZRU5H33VM100006

I am satisfied that this rebuilt motor vehicle is the same as the one described in the record of rebuilding.

Yes  No

Requirements of Rebuilding	Components	R	C	VIM Reference Section	Components	R	C	VIM Reference Section
Photographs prior to rebuilding clearly showing vehicle damage	STRUT			8-4	REAR STRUT TOWER			8-4 (b)
					- Left			
Structural Integrity Declaration Report	HINGE (A) PILLAR			8-19	- Left			
					- Right			
4 Wheel Alignment Printout	CENTRE (B) PILLAR			8-19	BUMPERS (Front/Rear)			8-5
					CROSSMEMBER			8-3 (c)
					HOOD			8-1
					RAD SUPPORT			
Welded and structural components that require protection have been protected as required by OEM or I-CAR standard.	LOCK (C) PILLAR			8-19	BODY			8-2
					FRAME			8-3
					BULKHEAD (cowl)			
					DOORS			8-6
Vehicle meets symmetric and asymmetric specifications as indicated on the Structural Integrity Declaration Report.	ROCKER PANEL			8-19	QUARTER PANELS			8-2 (c)
					- Left			
					- Right			
					FLOOR PAN			8-4 (a)

Front and rear bumper assembly, hood, fenders, cooling assembly, radiator support, engine panel

"R" marked when item rejected  
"C" marked when item corrected

I certify that this rebuilt vehicle meets all Structural Integrity requirements as defined in the Motor Vehicle Act Regulations and the BC Vehicle Inspection Manual.

Authorized Inspector Name (print)

Aus YUSOP

Signature

*[Signature]*

# DYNAMIC AUTO CENTRE LTD

UNIT #105 - 8018 BOLT RD

SCARBOROUGH, ONT

Phone Number: 416-591-9700

Fax Number: 416-591-9702

Client Name: ADI ENTERPRISE	Date: 12/14 2022 5:50:57 PM
Company:	VIN: 3CZRU5H33HM100006
License No:	Technician: ERIC
Make/Model: Acura	Order No:

## VEHICLE ALIGNMENT REPORT

HONDA, 2016, HR-V All Models

Primary Angles		Initial	Specifications		Final
			Min	Max	
Caster	Left	2.1°	4.0°	5.0°	4.7°
	Right	2.1°	4.0°	6.0°	5.1°
	Left	2.1°	-1.0°	1.0°	0.8°
Ride	Right	0.2°	-1.0°	1.0°	0.2°
	Left	-0.2°	-0.10°	0.10°	0.08°
	Right	0.1°	-0.10°	0.10°	0.06°
Toe	Left	0.1°	-0.25°	0.25°	0.03°
	Right	0.1°	-0.25°	0.25°	0.03°
	Left	0.1°	-0.5°	-0.5°	-1.5°
Camber	Right	1.3°	-2.5°	-0.5°	-1.3°
	Left	0.3°	0.00°	0.25°	0.00°
	Right	0.1°	0.00°	0.25°	0.20°
Thrust Angle	Total	0.2°	0.50°	0.50°	0.20°
	Left	0.1°	-----	-----	0.1°

Secondary Angles		Initial	Specifications		Final
			Min	Max	
Steering Axis Incl.	Left	13.0°	-----	-----	13.0°
	Right	13.0°	-----	-----	13.0°
	Left	12.5°	-----	-----	12.4°
	Right	13.1°	-----	-----	13.1°
Ball Joint Angle	Left	-----	0.0°	0.0°	-----
	Right	-----	0.0°	0.0°	-----
Mechanism Angle	Left	-----	30.0°	40.2°	-----
	Right	-----	30.0°	40.2°	-----
Shock Absorber	Left	-----	-----	-----	-----
	Right	-----	-----	-----	-----
Subframe	Front	0.1°	-----	-----	-0.1°
	Rear	-----	-----	-----	0.0°
Track Width Diff.	Left	-----	-----	-----	0.2°
	Right	-----	-----	-----	-0.1°
Wheel Base Diff.	Left	-----	-----	-----	-----
	Right	-----	-----	-----	-----
Wheel Base Right	Left	-----	-----	-----	-----
	Right	-----	-----	-----	-----
Frame Angle	Left	-----	-----	-----	-----
	Right	-----	-----	-----	-----



BRITISH COLUMBIA

Ministry of Transportation and Infrastructure

Designated Inspection Facility

(DIF must issue this form for completion by an autobody technician)

Structural Integrity Declaration Report

Commercial Vehicle Safety and Enforcement Branch

Print Form

PASS All requirements met

FAIL Requirements NOT met

Designated Inspection Facility Information

Designated Inspection Facility Number: 5 5 8 3 8

Facility Name: ABBOTSFORD TUNE UP

Authorized Inspector Number: 203635

Inspector Name: Aris Yusof

Inspector Signature: [Signature]

Date: 15/12/2012 Decal No.: FW42755

Vehicle Information

Owner: Air Enterprise Registration # 12102406 Plate # N/A

Address: 333 Twelfth St. VIN # 3C2RU5H33HM100006

City: New West Prov BC PGV3M4H5 Make Honda Model HR-V Year 2017

Structural Integrity Declaration Report

Repair Standard and Vehicles Dimensions

1. I confirm that the repair / rebuild process for this vehicle has met or exceeded the rebuilding standards specified by the Inter-Industry Conference On Auto Collision Repair (I-CAR) and / or the Original Equipment Manufacturer (OEM), that the unitized vehicle body repair, including engine cradle, conforms to the OEM dimension standards and that a full-framed vehicle complies with the OEM, I-CAR repair standard.

Wheel alignment (all 4 wheels- attach printout) Alignment performed (facility name and address if other than above): NAME: Dynamic Auto ADDRESS:

Occupant Protection and Vehicle Components

2. I confirm that the assembly of body components have been performed in a manner that provides occupant protection that is equal to or exceeding OEM or I-CAR standards.

3. I confirm that the repairable structural components of the vehicle body have been assembled and repaired in accordance with methods, procedures and standards that will return the components to its original standard, quality and properties in accordance with the OEM, I-CAR standards.

4. I confirm that the assembly joints of the vehicle body are located in places and repaired in accordance with the OEM, I-CAR procedures and standards.

Wheel Alignment

5. I confirm that a four-wheel alignment has been performed and that steering angles and wheel tolerances are within the OEM, requirements for this vehicle. A four-wheel alignment computer printout has been included as part of this declaration.

I certify that this vehicle has been repaired in accordance with OEM/I-CAR standards as noted in items 1 - 5 above.

Please indicate numbers and measurements on diagram below:

From inside vehicle:		Front Left	Front Right
-2.6	Camber		Camber 0.1
4.6	Caster		Caster 5.1
0.05	Toe		Toe 0.00
	SAI		SAI
	Included Angle		Included Angle
	Turning Angle		Turning Angle
		Rear Left	Rear Right
-1.5	Camber		Camber -1.3
	Caster		Caster
0.00	Toe		Toe 0.20
	SAI		SAI

Technician Name please print ARIS YUSOF

Autobody Tech Trade Qualification # 0014-AB-19

Autobody Tech Trade Jurisdiction BC

Technician Signature: [Signature]

ALIGNMENT  PASS  FAIL

Date Rebuilt Completed 15/12/2012

Rebuilder Name (if different from technician) AMC Auto

Rebuilder Address #3-11435 132A St

\* The ORIGINAL copy of this form must be forwarded to the designated inspection facility indicated above, and MUST be retained by the facility. \* This form must be the authentic original version signed by the autobody technician. Any photocopied, modified, altered, or changed form is unacceptable and must be rejected. \* A photocopy must accompany the customer's copy of the Vehicle Inspection Report (CVSE0013).