MECHANICAL FITNESS ASSESSMENT

As required by Vehicle Inspection Regulation (A/R 211/2006)

Dealer: Diamond Motors	A	MVIC Licence Number:
Address: 3403 93ST NW EDM AB, T	6E-6A4	
	VEHICLE INFORMATION	
(ear: 2023 Make: 1	MUNDAI Model: ELATINA MY 44 3PM 52 9X Odometer Reading:	Previous Province of Registration:
make, - 17	Model.	rievious riovince of negistration.
/ehicle Identification Number:	LY 4A 3A4 9 90 Odometer Reading	: 38533 (km/mi)
Truck Motorcycle	Bus Van Light Truck	Auto Motorized RV Othe
-	— — — — — — — — — — — — — — — — — — —	
	s C=Complies or N=Non-Compliant. If item is Not	t Applicable indicate as N/A in the C column
Powertrain C	N Brakes C N	Frame & Body C N
Accelerator .	Parking/Emergency Brake	Hood Latch
Fuel System Exhaust	Hydraulic System Vacuum System	Door Latches & Hinges
Transmission	vacuum system	Bumpers
Front/Rear/Spindles Axles	Drum Brakes	Windshield Wipers & Washer
Clutch	Disc Brakes	Rear Wiper & Washer
Fluid Levels (power steering, brake)	Shoes/Pads	Windshield
CV Joints	Anti-Lock (if OEM equipped)	Windows
CV JUHILS	Steering C N	Defrost/Heaters
Lamps C	N Steering Lash	Mirrors
Head Lamp Hi Beam	Steering Linkage	Seats
Head Lamp Lo Beam	Rack & Pinion	Seat Belts/Airbags
Head Lamp Location	Power Steering System	Mudguards
Daytime Running Lamps	King Pin	Window Glazing
Tail Lamps /,	Ball Joints	Structural Integrity
Brake Lamps		Tires & Wheels C N
Turn Signal Lamps /	Suspension C N	Tread Depth
Hazard Warning Lamps	Leaf springs -	Tread Section
Licence Plate Lamp	Struts and Shocks	Sidewalls
Back-up Lamps	Coil spring	Wheels
Instruments C	N Torsion Bar	Electrical C N
Speedometer/Odometer	independent/Mortilink Kear	Electrical C N
Indicator Lamps	Computer Controlled	Battery
Horn	Diagnostic C N	Switches
Hi Beam Indicator	Diagnostic Trouble Codes	Alternator
Technician Comments		Alteriator
vith the Traffic Safety Act, Vehicle I	ed the vehicle described above in accordance Equipment Regulation (A/R 122/2009). By e contents of this document are true and correct.	I, the buyer of this vehicle, acknowledge receipt of this assessment.
ignature of Certified Journeyman Te	echnician:	Signature of Buyer
THE RESERVE OF THE PARTY OF THE		D (D : 0)
echnician Name (Print):	OFRI	Buyer (Print)
echnician Trade Certificate Number:	103474	Signature of Salesperson
Date: 5£0)	12 2024	Salesperson (Print)
his assessment expires 120 days after the	e date it was issued.	Date





CERTIFICATE NUMBER

Out of Province Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Ty _l	oe:	Automotive		Seating (Capacity:		7					
GVW:				Brake Ty	pe:	Hydrauli	Hydraulic					
Owner Name: DIAMOND MOTORS		OTORS										
Address:	340	3 93 ST										
City:	EDN	И	Р	rovince: A	В	P	ostal Code:	T6E-6A4				
Telephone	Num	ber: (587) 444-3300					-				
Vehicle Ide	ntific	ation Number		KMHLM4AG:	3PU52970	5						
Make:	F	lyundai			Mode	I: ELANTRA	SEL					
Year:	2	023			Unit I	Number:		1 4 41				
Odometer:	3	8533 KM	Licen	ce Plate Num	ber:		Province	e: AB				

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number:
Dean's Automotive Services	Ltd.	11566
Inspection Technician Name		Technician Number:
Mohammed Dean		B6625
Inspection Technician Signa	ture:	B
Inspection Date:	2024/09/12	· · · ·

NOTICE TO VEHICLE OWNER

- 1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.
- 2. The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Vehic	le Info	rmatio	n			. 1000							THE S			7		MB	88
VIN	K	M	Н	L	M	4	A	G		3	Р	U	5	2	9	7	0	8	5
		Mak						Mode				1	Ye		1		ometer		1. [
		Hyur	ndai				ELA	NTR/	A SE	L			202	3		3	8533		
Custo	mer l	nforma	tion	il Pig ya	GENERAL SE					Lag I								Ma	
							-			Nam MOTO									
							dress 3 93 ST										tal Cod -6A4	е	
						The second	Secti	on 1	- Pre	-Insp	ection	Die Lie	7	The same		17 9			
TE SILI	15		Compo	nent	Fall.	100	F	F	NA			A TOP Y	Compon	ent			P	F	NA
		for Inspe-					~			1.3c.	Vehicle V	Vanders of	or Pulls			•	1		
1.1b. V	ehicle A	Accurately	/ Describ	ed On Th	e RFI					1.3d.	Brake Sy	stem Per	formance				/		
1.2a. V	IN Plate	e Conditio	n				~				Driveabil						1		1
		sistent W					~			1.3f. S	Speedom	eter Ope	ration				1		
1.3a. C	V Joint	Road Te	st Result									er (if equip		eration	6	77.0	1	174	81
1.3b. U	niversa	I Joint Ro	ad Test I	Result			-											11	1
NOTE	0.																		

NOTES

Section 1	ion 2 - Or	odr	ard [Diagnostic Systems	the second		
Component	P	F	NA	Component	P	F	NA
2.1a. PCM Codes Present	1			2.4b. SRS Lamp Fails To Illuminate	1		
2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate	1			2.4c. SRS Lamp Remains Illuminated	1	100	-
2.2a. ABS Codes Present	1			2.4d. Airbag(s) Present	1		1 3
2.2b. ABS Lamp Fails to Illuminate	1			2.4e. Airbag Cover Integrity	/		
2.2c. ABS Lamp Remains Illuminated	1			2.5. Electronic Stability Control (ESC)	1	100	1.3
2.3a. Brake System Warning Lamp Fails to Illuminate	/			2.6. Powertrain Warning Lamps	/		
2.3b. Brake System Warning Lamp Remains Illuminated	1			2.7. Other Safety Systems	/		1
2.4a. SRS Codes Present	1			The state of the s			1

NOTES:

	Se	ctio	n 3	- Interior			
Component	P	F	NA	Component	Р	F	NA
3.1. Doors	1			3.11. Instrument Panel Lamps	1		1200
3.2. Rear View Mirror	1			3.12. HVAC	1		1 21
3.3. Sun Visors	1			3.13. Windshield Wiper and Washer Operation	1		
3.4. Horn	1			3.14. Accelerator	1		
3.5. Seats	1			3.15. Service Brake Pedal	1		T E
3.6. Seatbelts	1			3.16. Clutch Pedal Assembly			1
3.7. Signal Lamp Switch and Indicator	1			3.17. Park Brake	1	1	
3.8. Hazard Lamps	1			3.18. Neutral Safety Switch Operation	1		
3.9. Headlamp Switch and High Beam Indicator	1			3.19. Entertainment Display Lockout	1		-
3.10. Auxiliary Lamp Indicator(s)			1				-

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

	S	ecti	on 4	- Glass		- 130	
Component	P	F	NA	Component	P	F	NA
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	1		
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint	1		
4.1e. Windshield Tinting / Decals	1			4.2d. Side Window Visibility (general)	1		
4.1f. Windshield Visibility (general)	1			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	1		1
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a. Other Glass	1		

NOTES:

	Se	ctic	on 5	- Lamps		18	W.
Component	P	F	NA	Component	P	F	N/
5.1. Lamps (general)	1			5.7. Front Side Reflectors	1	-	100
5.2. Daytime Running Lamps	1			5.8. Rear Side Marker Lamps	1		
5.3. High Mount Brake Lamp	1			5.9. Rear Side Reflectors	1		7
5.4. Headlamps	1			5.10. Licence Plate Lamp	1		+-
5.5. Auxiliary Lamps			1	5.11. Emergency Lighting	1		+
5.6. Front Side Marker Lamps	1		1	and going bigining			

NOTES:

Section 6 - Exterior, General										
Component	Р	F	NA	Component	Р	F	NA			
6.1. Fuel Cap	1			6.3. Bumpers	1		1			
6.2. General Body Condition	1			6.4. Aftermarket Equipment Installation			1			

NOTES:

	Secti	on	7 - U	Section 7 - Under Hood													
Component	P	F	NA	Component	Р	F	NA										
7.1. Hood Latch Mechanism	/			7.7. Clutch Master Cylinder			1										
7.2. Hood Prop / Struts	1			7.8. Fuel System	1		-										
7.3. Remote Starter Operation	1			7.9. Exhaust Manifold(s)	1	1											
7.4. Battery	1		13	7.10. Oil Leaks	/												
7.5. Accessory Belt Drive System	1		- 134	7.11. Engine and Transmission Mounts	1		110										
7.6. Brake Master Cylinder	1			and the state of t			3										

NOTES:

	Section 8 -	Stee	ering	and Suspension			
Component	P	F	NA	Component	P	F	NA
8.1. Wheel Bearings	-			8.8. Steering Gear		i	1
8.2. Ball Joints (front and rear)	1			8.9. Rack & Pinion	1	13	Ť
8.3. Tie Rod Ends (inner and outer)	1			8.10. Power Steering System	1		
8.4. Pitman Arm		T.	1	8.11. Control Arms	1	1	
8.5. Idler Arm			1	8.12. Struts and Shocks	1		1
8.6. Steering Stabilizer / Damper			1	8.13. Springs	./		100
8.7. Steering Shaft Assembly	1	V	1				

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

	Section	9 -	Tire	s and Wheels	13-8-8	H	HEY
Component	P	F	NA	Component	P	F	NA.
9.1. Tread Depth- LF:8 mm,RF:8 mm,LR:8 mm,RR:8 mm	1			9.4. Tire Serial Numbers & Dates of Manufacture	1		- 6
9.2. Tire Condition (general)	1			9.5. Wheels	./	-	+
9.3. Tire Size	1			9.6. Wheel Nuts and Studs	1		+

NOTES:

A CONTRACTOR OF THE PROPERTY O	Sec	ction	n 10	- Brakes		lay.	NIS.
Component	P	F	NA	Component	P	F	NA
10.1. Brakes (general)	~			10.6. Park Brake Drum Diameter- LR:NA mm,RR:NA mm			. 🗸
10.2. Park Brake Lining- LR:NA mm,RR:NA mm			1	10.6. Brake Rotor Thickness- LF:26 mm,RF:26 mm	✓		
10.2. Brake Lining- LF:12 mm,RF:12 mm,LR:12 mm,RR:12 mm	1			10.7. Brake Drum Condition (general)			1
10.3. Brake Lines and Hoses	~			10.8. Brake Rear Rotor- LR:11 mm,RR:11 mm	1		
10.4. Brake System Wiring	1			10.9. Park Brake	1		1
10.5. Brake Rotor Condition (general)	1						-

NOTES:

	Section	n 1	1 - U	nder Vehicle			
Component	P	F	NA	Component	P	F	N.A
11.1. Bumpers	1			11.5. Drive Axles / Propeller Shafts			
11.2. Engine	1			11.6. Floor Pan	1		
11.3. Transmission / Transaxle / Transfer Case	1			11.7. Fuel System		-	
11.4. Differential(s)	1			11.8. Exhaust System	1		7.1

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5780006) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2024/09/12	Technician Number B6625	Facility Number 11566	Signature
Customer Acknowledgment			
and this Record of Inspection (RO the initial inspection and only the	n identifies defects and repairs are re II) may be presented to any Vehicle In failed items noted on this ROI are req ection within 10 days of the initial dat	spection Facility within 10 days of	Date (Year/Month/Day) 2024/09/12