MECHANICAL FITNESS ASSESSMENT

As required by Vehicle Inspection Regulation (A/R 211/2006)

Dealer: Diamond Motors	3			AM	MVIC Licence N	lumber:		
Address: 3403 93ST NW EDM	1 AB, T6E-6A4					No. 20 August 1		
		VEHICLE	INFORM	ATION				Δ,,
Year: 2018 Mak	(e. 12)14)				Dravious D	rovince of Registration:		
						TOVINCE OF REGISTRATION:	1	
Vehicle Identification Number:	CHIDT.	DENKA	825/0da	meter Reading:	1321	7/ /	(km/	mi)
Truck Motorcycle	Bus	Van	Light 1	ruck	Auto	Motorized RV		Other
Please check mark (√) each	item as C=Co	mplies or N=Non-	Compliant.	f item is Not	Applicable	indicate as N/A in the	ne C col	umn
Powertrain	C N	Brakes		C N	Frame 8		C	N
Accelerator		Parking/Emergency	Brake		Hood Late			IV.S.
Fuel System	//	Hydraulic System				nes & Hinges	//	
Exhaust		Vacuum System			Bumpers		/	
Transmission		Drum Brakes	_		Windshiel	d Wipers & Washer	/	
Front/Rear/Spindles Axles		Disc Brakes		/		r & Washer	/	
Clutch		Shoes/Pads		1	Windshiel	ď	1/	
Fluid Levels (power steering, brake CV Joints		Anti-Lock (if OEM ed	quipped)		Windows		1/2	
	1/	Steering	fig. 12. mg	CN	Defrost/He	eaters		
Lamps	CN	Steering Lash		/3	Mirrors		1/1	
Head Lamp Hi Beam		Steering Linkage			Seats		1/	1.
Head Lamp Lo Beam	1/,	Rack & Pinion			Seat Belts,		1	
Head Lamp Location		Power Steering Syst	em		Mudguard		1/	*
Daytime Running Lamps		King Pin	-		Window G Structural		//	- No.
Tail Lamps Brake Lamps		Ball Joints					/	
Turn Signal Lamps		Suspension	a I free Hers	C N		Wheels	C	N
Hazard Warning Lamps		Leaf springs			Tread Dept			~
Licence Plate Lamp	//	Struts and Shocks		1	Tread Sect	ion	1	74
Back-up Lamps	//	Coil spring			Sidewalls Wheels	Charles and Charles	1/	
Instruments	C N	Torsion Bar					/	
Speedometer/Odometer	CN	Independent/Multil		1	Electric	al	C	N
Indicator Lamps		Computer Controlled	1		Wiring		//	
Horn	1/	Diagnostic	Decree of the same	C N	Battery	MATA ALL PLANTS	1	
Hi Beam Indicator		Diagnostic Trouble C	odes	_ N	Switches	The Party of the Land of the L	//	20
Technician Comments		- I addition to the control of the c	oues		Alternator		/	
Technician Comments							3	
							1	-
								Ų,
This is to certify that I have a	assessed the v	ehicle described a	bove in acco	rdance	L the buy	er of this vehicle, ac	knowle	
with the Traffic Safety Act, Ve signing this assessment, I ve	ehicle Equipm	ent Regulation (A.	/R 122/2009). Bv		this assessment.		.ugc
	in y the conte	into or this docume	ent are title	and correct.			5	
Signature of Certified Journey	man Technicia	n:			Signature	of Buyer		,
		-11			Buyer (Pri	nt)		
Technician Name (Print):	4.05	XN.			buyer (Pri	ny		200
Technician Trade Certificate N	umber:	3144		YELL	Signature	of Salesperson	S. 1. Y 11	35
Date: OG /	18 20	24			Salesperso	on (Print)		
This assessment expires 120 days a	after the date it w	vas issued.	T	W. I.	Date			1





CERTIFICATE NUMBER

Out of Province Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	oe:	Automotive		Seatin	g Capa	city:					
GVW:				Brake	Type:		Hydra	aulic			
Owner Nam	ne:	DIAMOND M	OTORS								
Address:	340	3 93 ST								_	_
City:	City: EDM			Province:	AB			Posta	l Code:	T6E	-6A4
Telephone	Num	ber: (587)	444-330	00							
Vehicle Ide	ntific	ation Number:		2C4RDGD	G1JR2	88257					
Make:	[odge			T	Model:	Caravar	n			
Year: 2018						Unit Nu	mber:		11-11		
Odometer:	1	32147 KM	Lic	ence Plate Nu	umber:			253.	Province	e: T	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number:			
Dean's Automotive Service	s Ltd.	11566			
Inspection Technician Nam	e:	Technician Number:			
Mohammed Dean		B6625			
Inspection Technician Sign	ature:	pr			
Inspection Date:	2024/10/18	' //			

NOTICE TO VEHICLE OWNER

- 1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.
- 2. The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

VIN	2	С	4	R	D	G	D	G		1	J	R	2	8	8	2	5		7
		Mak	e		-			Mode))				Yea		1	040		1	
		Dod								•		l l					meter		
		Dod	ge				C	arav	an			į.	201	8		13	2147		
Custor	ner Ir	nforma	tion										AP P	18 B G 18				300	
							Org	janiz	ation	Name									-
							DIA	MO	ND N	IOTON	RS								
						Add	iress									Post	tal Cod	le	
	/					340	3 93 ST										-6A4		
						人名自己	Sect	ion 1	- Pre	e-Inspe	ction			- 12 4 4 5	NA THE	War.	N. Shire		
THE STATE OF			Compo	nent	200			PF	NA				Compon	ent			Р	F	N/
	1.1a. Request for Inspection (RFI)						/			'ehicle V	Vanders o					1	-		
				ed On The	RFI			/				stem Per				- V	-	+	
1.2a. VII	V Plate	Conditio	n					/				veability					Y	+	+
1.2b. VII								/			peedometer Operation					- Y	-	+	
1.3a, CV	Joint I	Road Tes	t Result					/		1.3g. Odometer (if equipped) Operation						- V	-	+ -	
1.3b, Un	iversal	Joint Ro	ad Test F	Result				/					pody ope	Judion			- 4		+
NOTES						Sec	tion 2 - (Onbo	ard [Diagnos	stic Sy	stems						**	
11	250		Compor	nent) F	NA			(Compone	ent			P	F	NA
2.1a. PC								/	1	2.4b. S	RS Lam	p Fails To	Illumina	te			1		+
2.1b. PC	M (MIL	, SES, e	tc) Lamp	Fails To I	lluminate		4	/				p Remain				17800	1	2	3
2.2a. AB								/				Present			THE P		/		
2.2b. AB	S Lam	P Fails to	Illuminat	е			,	/				over Integ	rity				Y		+
2.2c. AB	S Lam	Remain	s Illumina	ated				/				Stability C		SC)		_	- V	-	+
2.3a. Bra	ke Sys	tem War	ning Lam	np Fails to	Illuminat	е	-	/				Warning					1		
	ke Sys	tem War	ning Lam	np Remain	s Illumin	ated	-	/				ty System			1987		1		1
2.3b. Bra 2.4a. SR								-											1

Section 3 - Interior Component F NA Component P F 3.1. Doors 3.11. Instrument Panel Lamps 3.2. Rear View Mirror / 3.12. HVAC 3.3. Sun Visors 1 3.13. Windshield Wiper and Washer Operation 3.4. Horn 3.14. Accelerator 3.5. Seats 3.15. Service Brake Pedal 3.6. Seatbelts 3.16. Clutch Pedal Assembly 3.7. Signal Lamp Switch and Indicator 3.17. Park Brake 3.8. Hazard Lamps 3.18. Neutral Safety Switch Operation 3.9. Headlamp Switch and High Beam Indicator 3.19. Entertainment Display Lockout 3.10. Auxiliary Lamp Indicator(s)

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

Section 4 - Glass												
Component	P	F	NA	Component	Р	F	N/					
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	1		200					
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint	1	-	1					
4.1e. Windshield Tinting / Decals	1			4.2d. Side Window Visibility (general)	1		-					
4.1f. Windshield Visibility (general)	1			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	1	1	-					
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a. Other Glass	1		\top					

NOTES:

Section 5 - Lamps											
Component	P	F	NA	Component	P	Ti	F				
5.1. Lamps (general)	1			5.7. Front Side Reflectors	1	+	- 10				
5.2. Daytime Running Lamps	1			5.8. Rear Side Marker Lamps		+	\top				
5.3. High Mount Brake Lamp	1			5.9. Rear Side Reflectors	- /	+					
5.4. Headlamps	1			5.10. Licence Plate Lamp	¥/	+	+				
5.5. Auxiliary Lamps	1			5.11. Emergency Lighting	Y	+	+				
5.6. Front Side Marker Lamps	1			orr in minorgoney mighting		+	+				

NOTES:

Section 6 - Exterior, General												
Component	P	F	NA	Component	P	F	N/					
6.1. Fuel Cap	1			6.3. Bumpers		+	# E					
6.2. General Body Condition	/			6.4. Aftermarket Equipment Installation	Y		1					

NOTES:

Section 7 - Under Hood												
Component	P	F	NA	Component	P	F	N/					
7.1. Hood Latch Mechanism	1			7.7. Clutch Master Cylinder		-						
7.2. Hood Prop / Struts	1			7.8. Fuel System	/		-					
7.3. Remote Starter Operation			1	7.9. Exhaust Manifold(s)	Y	1						
7.4. Battery	1			7.10. Oil Leaks			-					
7.5. Accessory Belt Drive System	1			7.11. Engine and Transmission Mounts	4		-					
7.6. Brake Master Cylinder	1			THE ENGINE CITY TRANSPIRESTON WOULD	4		-					

NOTES:

Section 8 - Steering and Suspension												
Component	P	F	NA	Component	P	F	N/					
8.1. Wheel Bearings	1			8.8. Steering Gear		100	1					
8.2. Ball Joints (front and rear)	/			8.9. Rack & Pinjon	1	09	1					
8.3. Tie Rod Ends (inner and outer)	1			8.10. Power Steering System	1	1	1					
8.4. Pitman Arm			1	8.11, Control Arms	/		+					
8.5. Idler Arm			1	8.12. Struts and Shocks	Y	-	1 10					
8.6. Steering Stabilizer / Damper			1	8.13. Springs	- V		+					
8.7. Steering Shaft Assembly	1		1	o. to. Opinigo			+					

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

Section 9 - Tires and Wheels												
Component	P		F	NA	Component	P	F	NA				
9.1. Tread Depth- LF:8 mm,RF:8 mm,LR:10 mm,RR:10 mm	~				9.4. Tire Serial Numbers & Dates of Manufacture	1						
9.2. Tire Condition (general)	4	1			9.5. Wheels	1		, I				
9.3, Tire Size	4				9.6. Wheel Nuts and Studs	1		- A				

NOTES:

	Se	n 10	- Brakes				
Component	P	F.	NA	Component	Р	F	NA
10.1. Brakes (general)	1			10.6. Park Brake Drum Diameter- LR:NA mm,RR:NA mm			~
10.2. Park Brake Lining- LR:NA mm,RR:NA mm			1	10.6. Brake Rotor Thickness- LF:26 mm,RF:26 mm	1		
10.2. Brake Lining- LF:8 mm,RF:8 mm,LR:6 mm,RR:6 mm	1			10.7. Brake Drum Condition (general)			1
10.3. Brake Lines and Hoses	✓			10.8. Brake Rear Rotor- LR:11 mm,RR:11 mm	1		
10.4. Brake System Wiring	1			10.9. Park Brake	1	10	13.
10.5. Brake Rotor Condition (general)	1					=×	10

NOTES:

Section 11 - Under Vehicle												
Component	P	F	NA	Component	P	F	N.A					
11.1. Bumpers	1			11.5. Drive Axles / Propeller Shafts	1							
11.2. Engine	1			11.6. Floor Pan	1							
11.3. Transmission / Transaxle / Transfer Case	1			11.7. Fuel System	1	In	2					
11.4. Differential(s)	1			11.8. Exhaust System	1							

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5791929) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2024/10/18	Technician Number B6625	Facility Number 11566	Signature
Customer Acknowledgment I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2024/10/18
			Customer Signature