MECHANICAL FITNESS ASSESSMENT As required by Vehicle Inspection Regulation (A/R 211/2006)

Dealer: Diamond Motor	S		AMVIC Licence Number:
Address: 3403 93ST NW EDI	M AB, T6E-6A	A4	THE STATE OF THE S
		VEHICLE INFORMATION	
Year: 2022 Ma	ike: Hono	Model: CIVIC	Previous Province of Registration:
		29NH100327 Odometer Readily	2,422
	<u> </u>		ng: 21732 (km/
Truck Motorcycle		Land Light hack	Auto Motorized RV
Please check mark (√) eacl	h item as C=C	omplies or N=Non-Compliant. If item is N	ot Applicable indicate as N/A in the C col
Powertrain	C N	Brakes C N	
Accelerator Fuel Custom		Parking/Emergency Brake	Hood Latch
Fuel System Exhaust		Hydraulic System	Door Latches & Hinges
Transmission		Vacuum System	Bumpers
Front/Rear/Spindles Axles		Drum Brakes	Windshield Wipers & Washer
Clutch		Disc Brakes	Rear Wiper & Washer
Fluid Levels (power steering, brake	1	Shoes/Pads	Windshield
V Joints		Anti-Lock (If OEM equipped)	Windows
		Steering C N	Defrost/Heaters
.amps	C N	Steering C N Steering Lash	Mirrors
lead Lamp Hi Beam		Steering Linkage	Seats
lead Lamp Lo Beam	/	Rack & Pinion	Seat Belts/Airbags
ead Lamp Location		Power Steering System	Mudquards
aytime Running Lamps		King Pin	Window Glazing
all Lamps		Ball Joints	Structural Integrity
rake Lamps			The second secon
urn Signal Lamps		Suspension C N	Trans J.D., al
lazard Warning Lamps		Leaf springs	Tread Section
icence Plate Lamp	/	Struts and Shocks	Sidewalls
ack-up Lamps.		Coll spring	Wheels
nstruments	C N	Torsion Bar	
peedometer/Odometer		Independent/Multilink Rear .	Electrical C
dicator Lamps		Computer Controlled	Wiring
orn		Diagnostic C N	Battery
i Beam Indicator		Diagnostic C N Diagnostic Trouble Codes	Switches
echnician Comments		Pragrissic Housie Codes	Alternator
	:		
is is to certify that I have			
th the Traffic Safety Act Ve	ssessea the v	rehicle described above in accordance	I, the buyer of this vehicle, acknowled
ning this assessment, I ve	rify the conte	ent Regulation (A/R 122/2009). By ents of this document are true and correct	
nature of Certified Journey	man Technicia	n. (1)	Signature of Buyer
e de continea sourney	man recrimicia		
hnician Name (Print):	DEAN		Buyer (Print)
	NI 1		
hnician Trade Certificate Nu	ımber: 102	LIAM A	Signature of Salesperson
The state of the state of	Alliber. 105	21771	
	0 0 1		Salasparson (Dulat)
e: -OCT 125/2	2024		Salesperson (Print)
assessment expires 120 days a	fter the date it	Nac iceuad	
a change cubiles in adds a	itel the date if A	ν α Σ 122ΠΕΩ,	Date





CERTIFICATE NUMBER

Out of Province Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Ty	pe:	Automotive		Seatin	g Capa	city:					
GVW:				Brake	Type:		Hydra	aulic			
Owner Nan	ne:	DIAMOND M	OTORS								
Address:	340	3 93ST NW									
City:	EDN	MONTON	1	Province:	AB			Posta	l Code:	T6E	-6A4
Telephone	Num	ber: (587) 444-33	00							
Vehicle Ide	ntific	ation Number	:	2HGFE2F	29NH10	0327					
Make:	F	londa				Model:	Civic (C	anada)		
Year:	2	022				Unit Nu	mber:				
Odometer:	2	1732 KM	Lic	ence Plate N	umber:				Province	e:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number:
Dean's Automotive Services	Ltd.	11566
Inspection Technician Name		Technician Number:
Zain Dean		D0559
Inspection Technician Signa	ture:	1 M
Inspection Date:	2024/10/25	0

NOTICE TO VEHICLE OWNER

- 1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.
- 2. The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

		rmatic	T				_				A 10 Sept	-			100				1070
VIN	2	Н	G	F	E	2	F	2	2	9	N	H	1	0	0	3	2		7
		Mal	ke					Mod	lel			I	Ye	ar	1	Odo	meter		
		Hor	nda				Civi	c (C	anad	a)			202	2	1	. 2	1732		
							0111	0,0	arrac	uj			202			2	1132		
Custo	mer l	nforma	ation	W. Bee	7.15					HOLD CO								4	
							Or	gani	zation	Nam	е					,		143	
							DI	AMC)ND I	мото	ORS								
						Add	dress									Pos	tal Cod	e	
						2402	OPET N								91				
						3403	93ST N	IVV								165	-6A4		
							Sec	tion	1 - Pr	e-Insp	ection	ziwa L		CHE LE		emaco).			
			Compo	nent			And San	P	FNA		January V		Compon	ent			P	F	N/
1.1a. R	Request	for Inspe	ction (RF	1)			,	/		1.3c.	Vehicle V	Vanders o	or Pulls				1		
1.1b. V	ehicle /	Accuratel	y Describ	ed On Th	e RFI		,	/				stem Per		9					1
1.2a. V	IN Plate	e Conditio	on					/			Driveabil						1		
1.2b. V	'IN Con	sistent W	ith RFI				,	/				eter Ope	ration						1
1.3a. C	V Joint	Road Te	st Result					/				er (if equip		eration		Zu	1	100	-
1.3b. U	Iniversa	I Joint Ro	oad Test I	Result				/						7.07				-	100
NOTE	S:	,																	sier.
10-10			Sill Salavi			Sec	tion 2 -	Onb	oard	Diagn	ostic Sy	stems	Rall			ika kita		Hij.	5
		THE STATE	Compo	nent	F AU DA	and the		PI	= NA		100	Reid	Compon	ent	Sant Land		P	F	N
2.1a. P	CM Co	des Pres	ent					/		2.4b.	SRS Lan	np Fails T	o Illumina	ate			1		33
2.1b. P	CM (MI	L, SES, e	etc) Lamp	Fails To	Illuminate			/				p Remai			PARTI		1		
2.2a. A	BS Cod	les Prese	ent					/	N D		Airbag(s)					100	1		
2.2b. A	BS Lan	p Fails to	o Illumina	ite				/				over Integ	arity			THE	1		1
2.2c. A	BS Lan	p Remai	ns Illumin	nated				/				Stability		ESC)			1		1
2.3a. B	rake Sy	stem Wa	rning Lar	np Fails to	Illuminat	te		/				Warning			žali.		1		
					ns Illumin			/		1775		ety Syster			TEXAS	4.5	1	-	1
		les Prese						/						T. III.—15	1 3				

NOTES:

	Se	ectio	on 3	- Interior		11,8	
Component	P	F	NA	Component	P	F	NA
3.1. Doors	1			3.11. Instrument Panel Lamps	1		_
3.2. Rear View Mirror	1	K.		3.12. HVAC	1		
3.3. Sun Visors	1			3.13. Windshield Wiper and Washer Operation	1		
3.4. Horn	1			3.14. Accelerator	1		
3.5. Seats	1			3.15. Service Brake Pedal	. 1		_
3.6. Seatbelts	1			3.16. Clutch Pedal Assembly			1
3.7. Signal Lamp Switch and Indicator	1			3.17. Park Brake	. /		
3.8. Hazard Lamps	1			3.18. Neutral Safety Switch Operation	/	170	1.5
3.9. Headlamp Switch and High Beam Indicator	1			3.19. Entertainment Display Lockout	1		State
3.10. Auxiliary Lamp Indicator(s)	1						

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

	S	ecti	on 4	- Glass			
Component	P	F	NA	Component	P	F	NA
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	1	T	
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint	1		
4.1e. Windshield Tinting / Decals	1			4.2d. Side Window Visibility (general)	1		/ Pa
4.1f. Windshield Visibility (general)	1			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	1		
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a. Other Glass	1		

NOTES:

	Se	ctic	on 5	- Lamps			511
Component	P	F	NA	Component	P	F	NA
5.1. Lamps (general)	1			5.7. Front Side Reflectors	/	-	-
5.2. Daytime Running Lamps	1			5.8. Rear Side Marker Lamps	/	1	
5.3. High Mount Brake Lamp	1			5.9. Rear Side Reflectors	1	1	٠,۵
5.4. Headlamps	1			5.10. Licence Plate Lamp	· ·	1	
5.5. Auxiliary Lamps	1			5.11. Emergency Lighting		1	
5.6. Front Side Marker Lamps	1						

NOTES:

	Section	6 -	Exte	erior, General	A CABUAN		
Component	P	F	NA	Component	P	F	N/
6.1. Fuel Cap	1			6.3. Bumpers	1		
6.2. General Body Condition	1			6.4. Aftermarket Equipment Installation			~

NOTES:

	Secti	on	7 - U	nder Hood	PU.		500
Component	P	F	NA	Component	P	F	NA
7.1. Hood Latch Mechanism	1			7.7. Clutch Master Cylinder			1
7.2. Hood Prop / Struts	1	7		7.8. Fuel System	1		
7.3. Remote Starter Operation			1	7.9. Exhaust Manifold(s)	1		
7.4. Battery	1			7.10. Oil Leaks	1		
7.5. Accessory Belt Drive System	1			7.11. Engine and Transmission Mounts	1		
7.6. Brake Master Cylinder	1						1.5

NOTES:

	Section 8 -	Ste	ering	and Suspension		70	100
Component	P	F	NA	Component	P	F	NA
8.1. Wheel Bearings	1			8.8. Steering Gear			1
8.2. Ball Joints (front and rear)	1			8.9. Rack & Pinion	1	-	2
8.3. Tie Rod Ends (inner and outer)	1			8.10. Power Steering System	1		
8.4. Pitman Arm			1	8.11. Control Arms	1	1	100
8.5. Idler Arm			1	8.12. Struts and Shocks	1		
8.6. Steering Stabilizer / Damper			1	8.13. Springs	1		
8.7. Steering Shaft Assembly	1	127					

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

Section 9 - Tires and Wheels													
Component	P	F	NA	Component	P	F	NA						
9.1. Tread Depth- LF:6 mm,RF:6 mm,LR:6 mm,RR:6 mm	1			9.4. Tire Serial Numbers & Dates of Manufacture	~	-							
9.2. Tire Condition (general)	1			9.5. Wheels	1	5.	1 5						
9.3. Tire Size	1			9.6. Wheel Nuts and Studs	1								

NOTES:

	Se	ction	10	- Brakes	18 T		
Component	P	F	NA	Component	P	F	NA
10.1. Brakes (general)	1			10.6. Park Brake Drum Diameter- LR:N/A mm,RR:N/A mm			1
10.2. Park Brake Lining- LR:N/A mm,RR:N/A mm			1	10.6. Brake Rotor Thickness- LF:22 mm,RF:22 mm	1	-	4
10.2. Brake Lining- LF:10 mm,RF:10 mm,LR:8 mm,RR:8 mm	~			10.7. Brake Drum Condition (general)		-	1
10.3. Brake Lines and Hoses	1			10.8. Brake Rear Rotor- LR:9 mm,RR:9 mm	~		70
10.4. Brake System Wiring				10.9. Park Brake	1		
10.5. Brake Rotor Condition (general)	1						

NOTES:

	Sectio	n 1	1 - U	nder Vehicle		No.	
Component	P	F	NA	Component	P	F	NA.
11.1. Bumpers	1			11.5. Drive Axles / Propeller Shafts	1		
11.2. Engine	1			11.6. Floor Pan	. 1		N Pi
11.3. Transmission / Transaxle / Transfer Case	1			11.7, Fuel System	1		- 4
11.4. Differential(s)	1		108	11.8. Exhaust System	1	1	

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5794002) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2024/10/25	Technician Number D0559	Facility Number 11566	Signature	
Customer Acknowledgment			17)	
Lundamanad if a cabiala income atta				
and this Record of Inspection (RO the initial inspection and only the	n identifies defects and repairs are re il) may be presented to any Vehicle in failed items noted on this ROI are rec ection within 10 days of the initial dat	uired to be re-inspected. If the	Date (Year/Month/Day) 2024/10/25	4