MECHANICAL FITNESS ASSESSMENT

As required by Vehicle Inspection Regulation (A/R 211/2006)

Dealer: Diamond Motors	AM	VIC Licence Number:
Address: 3403 93ST NW EDM AB, T	6E-6A4	
Tiddle 55.	VEHICLE INFORMATION	
Year: 2019 Make: T	ODGE Model: CARAVAN	Previous Province of Registration:
	DGB66 KR664889 Odometer Reading:	194555 (km/mi)
Truck Motorcycle	Bus Van Light Truck	Auto Motorized RV Other
Please check mark (✓) each item a	s C=Complies or N=Non-Compliant. If item is Not A	Applicable indicate as N/A in the C column
Powertrain C	N Brakes C N	Frame & Body C N
Accelerator ;	Parking/Emergency Brake	Hood Latch
Fuel System Exhaust	Hydraulic System	Door Latches & Hinges
Transmission	Vacuum System	Bumpers
Front/Rear/Spindles Axles	Drum Brakes Disc Brakes	Windshield Wipers & Washer
Clutch	Shoes/Pads	Rear Wiper & Washer
Fluid Levels (power steering, brake)		Windshield
CV Joints	Anti-Lock (if OEM equipped)	Windows Defrost/Heaters
	Steering C N	Mirrors
Lamps C	N Steering Lash	Seats
Head Lamp Hi Beam	Steering Linkage	Seat Belts/Airbags
Head Lamp Lo Beam	Rack & Pinion	Mudguards
Head Lamp Location	Power Steering System	Window Glazing
Daytime Running Lamps	King Pin	Structural Integrity
Tail Lamps	Ball Joints	
Brake Lamps Turn Signal Lamps	Suspension C N	Tires & Wheels C N
Hazard Warning Lamps	Leaf springs	Tread Depth
Licence Plate Lamp	Struts and Shocks	Tread Section Sidewalls
Back-up Lamps	Coil spring	Wheels
	Torsion Bar	
Instruments C	Independent/Multilink Rear	Electrical C N
Speedometer/Odometer	Computer Controlled	Wiring
Indicator Lamps	Diagnostic C N	Battery
Horn	Diagnostic C N Diagnostic Trouble Codes	Switches
Hi Beam Indicator	Diagnostic flouble codes	Alternator
Technician Comments		
		-1 . L. YI
This is to certify that I have assesse	ed the vehicle described above in accordance	I, the buyer of this vehicle, acknowledge
	Equipment Regulation (A/R 122/2009). By	receipt of this assessment.
signing this assessment, I verify th	e contents of this document are true and correct.	
		6
Signature of Certified Journeyman Te	echnician:	Signature of Buyer
J. A.	/	
= 1 · · · · · · · · · · · · · · · · · ·	SAN	Buyer (Print)
Technician Name (Print):	<u> </u>	
	DOLLIM A.	Signature of Salesperson
Technician Trade Certificate Number	103144 A	,p
100	0.11	Calamaran (Drive)
Date: Nov 18 20	04	Salesperson (Print)
This assessment expires 120 days after the	e date it was issued.	Date





CERTIFICATE NUMBER

Out of Province Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	oe:	Automo	tive		Seatin	g Capa	city:					`
GVW:					Brake	Type:		Hydra	ulic			
Owner Nan	Owner Name: DIAMOND MOTORS											
Address:	340	3 93ST N	IW									
City:	EDI	MONTON		Prov	ince:	АВ			Posta	al Code:	T6E	-6A4
Telephone	Num	ber:	(587) 44	4-3300								
Vehicle Ide	ntific	ation Nu	mber:	20	C4RDGB	G6KR6	64889					
Make:	[Dodge					Model:	Caravar	1			
Year:	2	2019					Unit Nu	mber:				
Odometer:		194555 KI	М	Licence	Plate Nu	umber:				Province	e:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number:
Dean's Automotive Services	Ltd.	11566
Inspection Technician Name		Technician Number:
Mohammed Dean		B6625
Inspection Technician Signat	ture:	The state of the s
Inspection Date:	2024/11/18	

NOTICE TO VEHICLE OWNER

- 1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.
- 2. The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Vehic	le Infe	ormatio	n				1441.47-0	424	, i	·				je					413,15	1
VIN	2	С	4	R	D	G	В		G		6	K	R	6	6	4	8	8		9
		Mal	Ke				1	Me	ode	1				Ye	ar		Odd	ometer	<u></u>	
	*	Doc	ank					Car	av	an				201	9	•		4555		
									-	u 11								7000		
Custo	omer	nforma	ition		11111	e qui ta				1,10		10 4		-00	Eller on			- THE		
								_			Name NOTO									
							dress	NW										tal Co	de	
		r e	TRUE SE	VIEW	47X731H		Se	ctio	n 1	- Pre	e-Insp	ection	STE OF	***						
	-	23.5	Compo	nent				Р	F	NA				Compor	ent			P		F N
1 1a F	Rennest	for Inspe		and the same of th						130		Vohicle \	Nanders (ioni.				,	#2 1 T
				ed On Th	e RFI			1					ystem Per		•			Ž		+
		e Conditio	•	ou on m	<u> </u>			1				Driveabi		TOTTIBLIC	-		- 5		/	+
		sistent W						1					neter Ope	ration				~		_
1.3a, C	CV Joint	Road Te	st Result					1					er (if equi	100	eration			~		+
		al Joint Ro						1			11031		or (iii oqui)	, op	or attorn			-	1	_
					音号。并	Sec	tion 2	- On	bo	ard [Diagno	ostic Sy	stems							
	W.	W. 16 6	Compo	nent				Р	F	NA	114			Compon	ent	Warner .		P	F	F N/
		des Pres						1			2.4b.	SRS Lar	np Fails T	o Illumin	ate			· /		
				Fails To	Illuminate	9		1			2.4c.	SRS Lar	np Remai	ns Illumir	nated				4	
		des Prese						1		_		20,500,000) Present						1	_
		np Fails to						1		<u> </u>			over Integ							
		np Remai						1					Stability		ESC)		*· {-	. 🗸		1
				mp Fails to				1					n Warning					1		
		ystem Wa des Prese		mp Remai	ns Illumir	nated		1			2.7. C	ther Saf	ety Syste	ms				- 4	4	+
NOTE		ues i lese	3110		Η			~		-										
								Se	ctio	n 3	- Inter	ior	75 (5)) F i + 5 i		Est la				Wy
	iya		Compo	nent				Р	F	NA				Compon	ent			P	F	= NA
3.1. Do	oors	1						1			3.11.	Instrume	nt Panel I	Lamps				V		
3.2. Re	ear Viev	v Mirror						1			3.12.	HVAC						4	1	
	ın Visor	s						1			3.13.	Windshie	eld Wiper	and Was	her Opera	ation		4		
3.4. Ho								1			3.14.	Accelera	tor					✓	1	
3.5. Se								1			3.15.	Service I	Brake Ped	dal					1	,
	eatbelts							1					edal Asse	embly						✓
3.7. Si	gnal La	mp Switch	n and Ind	icator				1			3.17.	Park Bra	ke					V		

NOTES:

3.8. Hazard Lamps

3.10. Auxiliary Lamp Indicator(s)

3.9. Headlamp Switch and High Beam Indicator

3.18. Neutral Safety Switch Operation

3.19. Entertainment Display Lockout

MOTOR VEHICLE RECORD OF INSPECTION

	S	ecti	on 4	- Glass		4	
Component	P	F	NA	Component	P	F	NA
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	1		1
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint	1		
4.1e. Windshield Tinting / Decals	1			4.2d, Side Window Visibility (general)	1		1 7
4.1f. Windshield Visibility (general)	/			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	1		
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a. Other Glass	1		

NOTES:

	Section 5 - Lamps												
Component	P	F	NA	Component	P	F	NA						
5.1. Lamps (general)	1			5.7. Front Side Reflectors	1		+						
5.2. Daytime Running Lamps	1			5.8. Rear Side Marker Lamps	1								
5.3. High Mount Brake Lamp	1			5.9. Rear Side Reflectors	1								
5.4. Headlamps	1			5.10. Licence Plate Lamp	1								
5.5. Auxiliary Lamps			1	5.11. Emergency Lighting	1								
5.6. Front Side Marker Lamps	1												

NOTES:

	erior, General		_ "	77 -			
Component	P	F	NA	Component	Р	F	NA
6.1. Fuel Cap				6.3. Bumpers	1	-	
6.2. General Body Condition	/			6.4. Aftermarket Equipment Installation		1	1

NOTES:

Section 7 - Under Hood													
Component	P	F	NA	Component	P	F	- NA						
7.1. Hood Latch Mechanism	1			7.7. Clutch Master Cylinder			1						
7.2. Hood Prop / Struts	1			7.8. Fuel System	1								
7.3. Remote Starter Operation			1	7.9. Exhaust Manifold(s)	1	Т							
7.4. Battery	1			7.10. Oil Leaks									
7.5. Accessory Belt Drive System	1	0		7.11. Engine and Transmission Mounts	1								
7.6. Brake Master Cylinder	1				•		1						

NOTES:

	Section 8 - Steering and Suspension												
Component	P	F	NA	Component	P	F	NA						
8.1. Wheel Bearings	✓			8.8. Steering Gear			1						
8.2. Ball Joints (front and rear)	✓			8.9. Rack & Pinion									
8.3. Tie Rod Ends (inner and outer)	✓			8.10. Power Steering System	1		.*						
8.4. Pitman Arm			1	8.11. Control Arms	1		100						
8.5. Idler Arm			1	8.12. Struts and Shocks	1								
8.6. Steering Stabilizer / Damper			1	8.13. Springs	1								
8.7. Steering Shaft Assembly	1			1, 3									

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

	Section	9 -	Tire	s and Wheels	- Viet (NS F
Component	P	F	NA	Component	P	F	NA
9.1. Tread Depth- LF:7 mm,RF:7 mm,LR:7 mm,RR:7 mm	~			9.4. Tire Serial Numbers & Dates of Manufacture	✓		
9.2. Tire Condition (general)	1			9.5. Wheels	/		
9.3. Tire Size	✓			9.6. Wheel Nuts and Studs	✓		

NOTES:

	Sec	ctio	n 10	- Brakes	Uz marki a	5,11	F.
Component	P	F	NA	Component	Р	F	NA
10.1. Brakes (general)	1			10.6. Park Brake Drum Diameter- LR:N/A mm,RR:N/A mm			1
10.2. Park Brake Lining- LR:N/A mm,RR:N/A mm			1	10.6. Brake Rotor Thickness- LF:28 mm,RF:28 mm	✓		
10.2. Brake Lining- LF:10 mm,RF:10 mm,LR:10 mm,RR:10 mm	~			10.7. Brake Drum Condition (general)			1
10.3. Brake Lines and Hoses	~			10.8. Brake Rear Rotor- LR:11 mm,RR:11 mm	1		
10.4. Brake System Wiring	1			10.9. Park Brake	1		
10.5. Brake Rotor Condition (general)	1						

NOTES:

Section 11 - Under Vehicle												
Component	P	F	NA	Component	P	F	NA					
11.1. Bumpers	1			11.5. Drive Axles / Propeller Shafts								
11.2. Engine	1			11.6. Floor Pan	√							
11.3. Transmission / Transaxle / Transfer Case	1			11.7. Fuel System	. 🗸							
11.4. Differential(s)	1			11.8. Exhaust System	1		- 1					

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5800897) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2024/11/18	Technician Number B6625	Facility Number	Signature	, 1 <u>N</u>
Customer Acknowledgment			1/1	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2024/11/18	
			Customer Signature	