MECHANICAL FITNESS ASSESSMENT

	As requ	ired by Vehicle Inspect			
Dealer:			AN	VIC Licence Number:	
ddress:					
		VEHICLE INFOR	MATION		
2099	Marken	des Model: CTLA2			
ear: $\alpha \sim Make$:	There ce	Model: OILAZ	30	Previous Province of Registration:	
ehicle Identification Number: WIN	4N4HBG	7NJ 375220	Odometer Reading	85914	(km/mi)
Truck Motorcycle	Bu	Van Lig	ht Truck	Auto Motorized RV	Oth
lease check mark (✓) each it	11.00	The second secon	nt. If item is Not	Applicable indicate as N/A in	the C columi
owertrain	C N	Brakes	C N	Frame & Body	C N
Accelerator	V	Parking/Emergency Brake	V	Hood Latch	
Fuel System	V	Hydraulic System		Door Latches & Hinges	<u></u>
Exhaust	V	Vacuum System	1	Bumpers	V
Fransmission	V	Drum Brakes	7	Windshield Wipers & Washer	L
Front/Rear/Spindles Axles	1	Disc Brakes	1	Rear Wiper & Washer	
Clutch	*	Shoes/Pads	V	Windshield	1
Fluid Levels (power steering, brake)	V	Anti-Lock (if OEM equipped)		Windows	
CV Joints	V	Steering	C N	Defrost/Heaters	V
Lamps	C N	Steering Lash		Mirrors	1
lead Lamp Hi Beam	V	Steering Linkage	V	Seats	V
lead Lamp Lo Beam	V	Rack & Pinion	1_	Seat Belts/Airbags	
lead Lamp Location	V	Power Steering System	V	Mudguards	
Daytime Running Lamps	V	King Pin	7	Window Glazing	
ail Lamps	V	Ball Joints		Structural Integrity	1
Brake Lamps	V			Tires & Wheels	CN
urn Signal Lamps		Suspension	C N	Tread Depth	V
lazard Warning Lamps		Leaf springs	7	Tread Section	V
icence Plate Lamp	V	Struts and Shocks	1	Sidewalls	اسبا
Back-up Lamps	V	Coil spring Torsion Bar	*	Wheels	V
nstruments	C_N	Independent/Multilink Rear		Electrical	C N
peedometer/Odometer	V	Computer Controlled		Wiring	V
ndicator Lamps	V	computer controlled		Battery	V
Horn	V	Diagnostic	C N	Switches	
li Beam Indicator		Diagnostic Trouble Codes		Alternator	
Technician Comments					
his is to certify that I have as with the <i>Traffic Safety Act</i> , Vel igning this assessment, I ver	nicle Equip	ment Regulation (A/R 122/2	009). By	I, the buyer of this vehicle, receipt of this assessment.	
ignature of Certified Journeyn	nan Technic	ian: Farenyl Sing	h	Signature of Buyer	
echnician Name (Print): Pa				Buyer (Print)	
echnician Trade Certificate Nu	mber: 2	54422 A		Signature of Salesperson	
nate: 2/0ec/2024		I destinon of the		Salesperson (Print)	
his assessment expires 120 days af	ter the date i	t was issued.		Date	





CERTIFICATE NUMBER

Out of Province Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Automo	tive		Seatin	g Capa	city:					
GVW:					Brake							
Owner Nan	ne:	Diamon	d Motors									
Address: 3403 93 St NW												
City:	Edn	nonton		Pro	vince:	AB			Posta	al Code:	T6E	6A4
Telephone	Num	ber:	(587) 444	-3300								
Vehicle Ide	ntific	ation Nu	mber:	V	W1N4N4H	нвэмјз	75220					
Make:		/lercedes	Benz		Model: GLA							
Year: 2022						Unit Nur	nber:	T'				
Odometer: 85914 KM Lice				Licence	Plate N	T ASSE			Provinc	e:	вс	

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number:
Judgemotive Automotive Ser	vices and Sales Ltd.	18707
Inspection Technician Name:		Technician Number:
Gursimranjeet Singh		D1912
Inspection Technician Signatu	ure:	Chestionant Con
Inspection Date:	2024/11/30	

NOTICE TO VEHICLE OWNER

1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.

2. The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Vehic	e Info	rmatic	n "							214					ATTI BE AV	Mar = XX	USA-
VIN	W	1	N	4	N	4	Н	В	9	N	J	3	7	5	2	2	0
Custo			es Benz					Model GLA250				Yea 202				ometer 5914	
								ganizati Diamon									
							lress 93 St N	w								tal Code	1
		Her W	other Sen	erd af li	Steneor		Seci	tion 1 - I	re-Insp	ection	Sul Ya	Sec. III	New Sie	pap stall	A.M.		ALV)

and the state special series and	Sectio	n 1	- Pre	-Inspection	
Component	P	F	NA	Component	PFNA
1.1a. Request for Inspection (RFI)	1			1.3c. Vehicle Wanders or Pulls	
1.1b. Vehicle Accurately Described On The RFI	1			1.3d. Brake System Performance	1
1.2a. VIN Plate Condition	/			1.3e. Driveability	
1.2b. VIN Consistent With RFI	/			1.3f. Speedometer Operation	
1.3a. CV Joint Road Test Result	1			1.3g. Odometer (if equipped) Operation	1
1.3b. Universal Joint Road Test Result	1	(s)			

NOTES:

Vehicle Road Tested - No Pulls Present.

Secti	on 2 - Or	odr	ard I	Diagnostic Systems	DI WAR	0	217
Component	P	F	NA	Component	P	F	NA
2.1a. PCM Codes Present	1			2.4b. SRS Lamp Fails To Illuminate	1	-	1000
2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate	1		4	2.4c. SRS Lamp Remains Illuminated	1		+
2.2a. ABS Codes Present	1			2.4d. Airbag(s) Present	/		+
2.2b. ABS Lamp Fails to Illuminate	1			2.4e. Airbag Cover Integrity	/		
2.2c. ABS Lamp Remains Illuminated	1	1		2.5. Electronic Stability Control (ESC)	/	-	1
2.3a. Brake System Warning Lamp Fails to Illuminate	1	50		2.6. Powertrain Warning Lamps	/	ri-	
2.3b. Brake System Warning Lamp Remains Illuminated	1	The P	-	2.7. Other Safety Systems	/		
2.4a. SRS Codes Present	1			and said of some	4		

NOTES:

No Codes Present.

	Se	ctic	n 3	- Interior			ME
Component	P	F	NA	Component	P	F	NA
3.1. Doors	1			3.11. Instrument Panel Lamps	1		
3.2. Rear View Mirror	1			3.12. HVAC	1		
3.3. Sun Visors	1			3.13. Windshield Wiper and Washer Operation	/		
3.4. Horn	1			3.14. Accelerator		2	
3.5. Seats	1			3.15, Service Brake Pedal	1	-1	100
3.6. Seatbelts	1	100	267	3.16. Clutch Pedal Assembly	(12 PA)		1
3.7. Signal Lamp Switch and Indicator	1	11/2	391	3.17. Park Brake	1	П.	1
3.8. Hazard Lamps	1			3.18. Neutral Safety Switch Operation	/		11
3.9. Headlamp Switch and High Beam Indicator	1			3.19. Entertainment Display Lockout	1		
3.10. Auxiliary Lamp Indicator(s)	1			o. Tot Entertainment Biopidy Econodic			34

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

	Se	ctic	on 4	- Glass			
Component	P	F	NA	Component	P	F	NA
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	1	ſ	
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint	1	7.1	
4.1e. Windshield Tinting / Decals	1			4.2d. Side Window Visibility (general)	1		
4.1f. Windshield Visibility (general)	1			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	1		
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a, Other Glass	1	15	

NOTES:

No Cracks Present.

	Se	ctic	n 5	Lamps			
Component	P	F	NA	Component	Р	F	NA
5.1. Lamps (general)	1			5.7. Front Side Reflectors	1		
5.2. Daytime Running Lamps	/			5.8. Rear Side Marker Lamps	1		
5.3. High Mount Brake Lamp	1			5.9. Rear Side Reflectors	1		
5.4. Headlamps	1			5.10. Licence Plate Lamp	1		
5.5. Auxiliary Lamps	1			5.11. Emergency Lighting	1		
5.6. Front Side Marker Lamps	1	2					

NOTES:

All Lights Function OK.

	Section	6 -	Exte	rior, General		81	
Component	P	F	NA	Component	P	F	NA
6.1, Fuel Cap	1			6.3. Bumpers	1		
6.2. General Body Condition	1			6.4. Aftermarket Equipment Installation	1	100	W.

NOTES:

7.2. Hood Prop / Struts 7.8. Fuel System												
Component	P	F	NA	Component	P.	F	NA					
7.1. Hood Latch Mechanism	1			7.7. Clutch Master Cylinder		1	1					
7.2. Hood Prop / Struts	1			7.8. Fuel System	1	0 1						
7.3. Remote Starter Operation	1			7.9. Exhaust Manifold(s)	1	55 1	1					
7.4. Battery	1	J.		7.10. Oil Leaks	1							
7.5. Accessory Belt Drive System	1			7.11. Engine and Transmission Mounts	1							
7.6. Brake Master Cylinder	1				, I cu	211	1 20					

NOTES:

No Oil Leaks Present.

	Section 8 -	Ste	ering	and Suspension			
Component	P	F	NA	Component	P	F	NA
8.1. Wheel Bearings	1			8.8, Steering Gear	PER PROPERTY OF		1
8.2. Ball Joints (front and rear)	1			8.9. Rack & Pinion	1	y	
8.3. Tie Rod Ends (inner and outer)	1	II.C		8.10, Power Steering System	1	87	
8.4. Pitman Arm	30 pt 650 (6)		1	8.11. Control Arms	1	20	
8.5. Idler Arm		13	1	8.12, Struts and Shocks	1		
8.6. Steering Stabilizer / Damper	1			8.13. Springs	1	13	
8.7. Steering Shaft Assembly	1	100				X.	3

NOTES:

Front End Checked - No Play Present, All Suspension Components Intact.

MOTOR VEHICLE RECORD OF INSPECTION

Section 9 - Tires and Wheels									
Component	P	F	NA	Component	P	F	NA		
9.1. Tread Depth- LF:8.62 mm,RF:8.64 mm,LR:8.84 mm,RR:8.83 mm	1			9.4. Tire Serial Numbers & Dates of Manufacture	✓				
9.2. Tire Condition (general)	1			9.5. Wheels	✓				
9.3. Tire Size	1			9.6. Wheel Nuts and Studs	✓				

NOTES:

DOT: 3024*4

SUNWIDE (235/50R19)

All Four Tires were Installed new.

Section 10 - Brakes									
Component	,P	F	NA	Component	Р	F	NA		
10.1. Brakes (general)	~			10.6. Park Brake Drum Diameter- LR:0 mm,RR:0 mm	~				
10.2. Park Brake Lining- LR:8 mm,RR:8 mm	~			10.6. Brake Rotor Thickness- LF:29.92 mm,RF:29.90 mm	✓				
10.2. Brake Lining- LF:8 mm,RF:8 mm,LR:8 mm,RR:8 mm	~			10.7. Brake Drum Condition (general)	1				
10.3. Brake Lines and Hoses	1			10.8. Brake Rear Rotor- LR:13.65 mm,RR:13.62 mm	✓				
10.4. Brake System Wiring	1			10.9, Park Brake	1				
10.5. Brake Rotor Condition (general)	1								

NOTES:

Park Brake Apply Release Function OK.

All hours proswers installed advisory Section 11 - Under Vehicle									
Component		P	F	NA	Component	P	F	NA	
11.1. Bumpers		/			11.5. Drive Axles / Propeller Shafts	1			
11.2. Engine		/			11.6. Floor Pan	1			
11.3, Transmission / Transaxle / Transfer Case		/			11.7. Fuel System	1			
11.4. Differential(s)		1			11.8. Exhaust System	1			

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5804529) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection Technician Number Facility Number Signature
2024/11/30 D1912 18707

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the falled items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2024/11/30

Customer Signature