MECHANICAL FITNESS ASSESSMENT

As required by Vehicle Inspection Regulation (A/R 211/2006)

Dealer: Diamond Moto	ors			MVIC Licence Number:		rik.
Address: 3403 93ST NW E.	DM AB, T6E-6A	.4				g.,
		VEHICLE INFOR	MATION			
Year: 2018	Make: Mazda	Model: CX-5 30M4J1364019	7	Previous Province of Regis	tration.	
Vehicle Identification Number	Im 3KF	20M4 112 KU 219	0.1	166 215		
- Table 19 Change 10 Change 1		11 k L L			(km	<u>n/mi)L</u>
Truck Motorcy			ght Truck	Auto Motorize	L	Othe
	ich item as C=C	omplies or N=Non-Compliar	nt. If item is No	t Applicable indicate as N	I/A in the C c	olumn
Powertrain Accelerator	CN	Brakes	CN	Frame & Body	C	N
Fuel System		Parking/Emergency Brake		Hood Latch	/	
Exhaust		Hydraulic System Vacuum System		Door Latches & Hinges		
Transmission		Drum Brakes		Bumpers		
Front/Rear/Spindles Axles		Disc Brakes		Windshield Wipers & Wash	er /	1
Clutch	-	Shoes/Pads		Rear Wiper & Washer		
Fluid Levels (power steering, bra	ike)	Anti-Lock (if OEM equipped)		Windshield		
CV Joints	anc)	Anti-Lock (ii OEW equipped)		Windows		1.00
		Steering	CN	Defrost/Heaters	/	
Lamps	CN	Steering Lash		Mirrors		
Head Lamp Hi Beam		Steering Linkage		Seats	/	
Head Lamp Lo Beam		Rack & Pinion	/	Seat Belts/Airbags		
Head Lamp Location		Power Steering System	/	Mudguards		2.0
Daytime Running Lamps Tail Lamps		King Pin		Window Glazing		1
Brake Lamps		Ball Joints		Structural Integrity		
Turn Signal Lamps		Suspension	C N	Tires & Wheels	C	N
Hazard Warning Lamps		Leaf springs	CN	Tread Depth		1
Licence Plate Lamp		Struts and Shocks		Tread Section	- /	
Back-up Lamps		Coil spring		Sidewalls	/	
		Torsion Bar		Wheels		
Instruments	CN	Independent/Multilink Rear		Electrical	C	N
Speedometer/Odometer		Computer Controlled		Wiring		14
Indicator Lamps				Battery	/	1
Horn		Diagnostic	CN	Switches	- /	
Hi Beam Indicator		Diagnostic Trouble Codes		Alternator		
Technician Comments				3		
					J.a	ne.
		,				
This is to certify that I have	assessed the v	ehicle described above in ac	cordance	I, the buyer of this vehi	icle, acknowl	edae
signing this assessment to	Vehicle Equipm	ent Regulation (A/R 122/200	9). By	receipt of this assessmi	ent.	3
signing uns assessment, i v	erity the conte	nts of this document are tru	e and correct.			
		1 233		Signature of Buyer		- 12
Signature of Certified Journe	yman Techniciae	Com	·	orginature of buyer		1
	4.					
Technician Name (Print):	Zain 12	Pan.		Buyer (Print)	,	14
Took minimum Turn I. C. 115	2.	1- 202 4		Signature of Salesperson		
Technician Trade Certificate N	number: 🔀	10155A				refrech
				Salasaaraara (Dutan)		
Date: 01-13-20	25			Salesperson (Print)		
his assessment expires 120 days	after the data it	ac issued			1	_11
· · · · · · · · · · · · · · · · · · ·	arter the date it w	as issueu.		Date		
		:				





CERTIFICATE NUMBER

Out of Province Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Ty	pe:	Automotive		Seating	Capacity:					
GVW:				Brake T	ype:	Hydra	ulic	- ;		
Owner Nan	ne:	DIAMOND MO	TORS							
Address:	340	3 93ST NW								
City:	EDN	MONTON	Prov	vince:	AΒ	=	Post	al Code:	T6E-6	6A4
Telephone	Num	ber: (587) 4	44-3300							
Vehicle Ide	ntific	ation Number:	JN	//3KFBDM	4J1364019					_
Make:	N	lazda			Model:	CX-5 GR	AND	TOUR		
Year:	2	018			Unit N	umber:				=
Odometer:	1	66315 KM	Licence	Plate Num	nber:			Province	e: A	\B

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number:	
Dean's Automotive Services	Ltd.	11566	
Inspection Technician Name	:	Technician Number	
Zain Dean		D0559	
Inspection Technician Signa	ture:	The same	1 1 1 1 1 1 1
Inspection Date:	2025/01/13	CHI	

NOTICE TO VEHICLE OWNER

- 1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.
- 2. The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Vehic	e Info	ormatio	n				1144	Jan L			THE PARTY	40-1100				- TABA	1
VIN	J	M	3	K	F	В	D	M	4	J	1	3	6	4	0	1	9
		Mak Maz					CX-5 G	Model RAND	TOUR			Ye:		1		ometer 6315	
Custo	mer l	nforma	tion			pil <u>liane</u>)	والمقارية			- U 100 1			State -	-	Terral I		B 4 E98
								ganizati AMONI									
11-11							iress 93ST N	IW								tal Cod	le
						Migh	Sec	tion 1 - I	Pre-Ins	pection		10,531		erie udi	LIED!		
			Compo					PFN	A	la e		Compon	ent			P	FNA
1.1a. Re	equest	for Inspec	tion (RF	I)						. Vehicle V			HARRIET		(IE) HE DIE		, , ,
1.1b. Ve	hicle A	ccurately	Describ	ed On The	RFI			/		. Brake Sy						7	1
		Conditio								. Driveabil				_			-
		sistent Wi							1.3f.	Speedom	eter Ope	ration					1-1-
		Road Tes							1.3g	. Odomete	er (if equi	oped) Ope	ration			1	
1.30, 01	iiversai	Joint Ro	ad Test F	Result			\										Ī
NOTES	3: 		4-54	/ i / 15-5%		Sec	tion 2 -	Onboard	d Diagr	nostic Sy	retame	SUN ONE					
			Compo	nent		Trival in		PFN				Company					- NA

Secti	ion 2 - Or	ıbo	ard [Diagnostic Systems			
Component	Р	F	NA	Component	P	-	NA
2.1a. PCM Codes Present	1	-		2.4b. SRS Lamp Fails To Illuminate		-	1.0
2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate	1		1	2.4c. SRS Lamp Remains Illuminated		.	1 1
2.2a. ABS Codes Present	1			2.4d. Airbag(s) Present		-	_
2.2b. ABS Lamp Fails to Illuminate	1			2.4e. Airbag Cover Integrity		-	+
2.2c. ABS Lamp Remains Illuminated	1			2.5. Electronic Stability Control (ESC)		1	-
2.3a. Brake System Warning Lamp Fails to Illuminate	1			2.6. Powertrain Warning Lamps	- Y	-	-
2.3b. Brake System Warning Lamp Remains Illuminated	1		1	2.7. Other Safety Systems		-	-
2.4a. SRS Codes Present				Outon Options			-

NOTES:

	Se	ctic	n 3	- Interior			
Component	P	F	NA	Component	P	E	NA.
3.1. Doors	1		The state of the s	3.11. Instrument Panel Lamps		10.4	
3.2. Rear View Mirror	1			3.12. HVAC	· · ·	-	- 1
3.3. Sun Visors	1			3.13. Windshield Wiper and Washer Operation	- Y	-	+ "
3.4. Horn	1			3.14. Accelerator			-
3.5. Seats		_		3.15. Service Brake Pedal		-	-
3.6. Seatbelts				3.16. Clutch Pedal Assembly		-	-
3.7. Signal Lamp Switch and Indicator	4					_	~
3.8. Hazard Lamps	¥		-	3.17. Park Brake			-
3.9. Headlamp Switch and High Beam Indicator				3.18. Neutral Safety Switch Operation			-
3.10. Auxiliary Lamp Indicator(s)	- 4			3.19. Entertainment Display Lockout	✓	-	-

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

	Section 4 - Glass													
Component	Р	F	NA	Component	Р	F	NA							
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	- 1		-							
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint	- `		-							
4.1e. Windshield Tinting / Decals	1			4.2d. Side Window Visibility (general)			, X							
4.1f. Windshield Visibility (general)	1			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	- Y		-							
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a. Other Glass	7		\vdash							

NOTES:

Section 5 - Lamps												
Component	P	F	NA	Component	P	F	N/					
5.1. Lamps (general)				5.7. Front Side Reflectors		-	2					
5.2. Daytime Running Lamps	1			5.8. Rear Side Marker Lamps		-	+-					
5.3. High Mount Brake Lamp	1			5.9. Rear Side Reflectors		-	£					
5.4. Headlamps	/		1	5.10. Licence Plate Lamp								
5.5. Auxiliary Lamps	/		1	5.11. Emergency Lighting	- Y	-	_					
5.6. Front Side Marker Lamps				o. Fr. Emergency Eighting		-	+,					

NOTES:

Section 6 - Exterior, General									
Component	Р	F	NA	Component	Р	F	N/		
6.1. Fuel Cap				6.3. Bumpers	-	+	-		
6.2. General Body Condition				6.4. Aftermarket Equipment Installation			1		

NOTES:

Section 7 - Under Hood												
P	F	NA	Component	D	=	N/						
1					-	-						
1		_			-							
		1		- V	-	-						
./		4			-	+						
					-	_						
			7.11. Engine and Transmission Mounts		_	-						
			P F NA		P F NA Component P ✓ 7.7. Clutch Master Cylinder ✓ 7.8. Fuel System ✓ ✓ 7.9. Exhaust Manifold(s) ✓ ✓ 7.10. Oil Leaks ✓	P F NA Component P F 7.7. Clutch Master Cylinder 7.8. Fuel System 7.9. Exhaust Manifold(s) 7.10. Oil Leaks						

NOTES:

	Section 8 -	Ste	ering	and Suspension				H
Component	P	F	NA	Component	P	1	F	N/
8.1. Wheel Bearings	1			8.8. Steering Gear		+		
8.2. Ball Joints (front and rear)	1			8.9. Rack & Pinjon		-	941	7
8.3. Tie Rod Ends (inner and outer)	/			8.10. Power Steering System		+	-	
8.4. Pitman Arm			1.752	8.11. Control Arms		+	\dashv	
8.5. Idler Arm			1	8.12. Struts and Shocks		+	-	
8.6. Steering Stabilizer / Damper			1	8.13. Springs		+	-	
8.7. Steering Shaft Assembly	1		Y	o. 13. Springs		+		

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

Section 9 - Tires and Wheels											
Component		Р	F	NA	Component	P	F	NA			
9.1. Tread Depth- LF:6 mm,RF:6 mm,LR:9 mm,RR:9 mm	-				9.4. Tire Serial Numbers & Dates of Manufacture	~					
9.2. Tire Condition (general)		/			9.5. Wheels		-	+			
9.3. Tire Size					9.6. Wheel Nuts and Studs	7					

NOTES:

	Sec	ctio	n 10	- Brakes			O.,
Component	P	F	NA	Component	Р	F	N/
10.1. Brakes (general)	1			10.6. Park Brake Drum Diameter- LR:NA mm,RR:NA mm			~
10.2. Park Brake Lining- LR:NA mm,RR:NA mm	1			10.6. Brake Rotor Thickness- LF:28 mm,RF:28 mm	✓		
10.2. Brake Lining- LF:10 mm,RF:10 mm,LR:5 mm,RR:5 mm	✓			10.7. Brake Drum Condition (general)		100	1
10.3. Brake Lines and Hoses	1			10.8. Brake Rear Rotor- LR:10 mm,RR:10 mm	✓		- 13
10.4. Brake System Wiring	1			10.9. Park Brake			1
10.5. Brake Rotor Condition (general)	1			, oro and branco			

NOTES:

	Section	n 1	1 - U	nder Vehicle	THE STATE OF	T)	107/8
Component	Р	F	NA	Component	D	TE	NA.
11.1. Bumpers			1	11.5. Drive Axles / Propeller Shafts		-	-
11.2. Engine	/			11.6. Floor Pan		-	7
11.3. Transmission / Transaxle / Transfer Case				11.7. Fuel System		-	- 13
11.4. Differential(s)				11.8. Exhaust System	- V	+-	+

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5814049) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

2025/01/13	D0559	Facility Number 11566	Signature							
Customer Acknowledgment										
I understand if a vehicle inspection and this Record of Inspection (RO	I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of									
the initial inspection and only the	2025/01/13									
vehicle is not returned for re-inspends be conducted.	Customer Signature									