MECHANICAL FITNESS ASSESSMENT

As required by Vehicle Inspection Regulation (A/R 211/2006)

Dealer: Diamond Motors				AN	AVIC Licence N	lumber:	
Address: 3403 93ST NW EDM	AB, T6E-6A4						
0		VEH	IICLE INFOR	MATION			1.0,
Year: 2022 Make	Ford	Mod	iel: Edge		Previous I	Province of Registration:	
Vehicle Identification Number: 2	FMPK4K	95 NBA	95314	Odometer Reading	82 3	383	(km/mi)
	-	-	h		-4	Motorized RV	Other
Powertrain	CONTRACTOR CALLS	Name and Address of the Owner, when the Owner, which	Non-Compliar		Water Committee		
Accelerator			rnency Brake				C N
Fuel System							
Exhaust						ies & ninges	
Transmission					Windshield	J 140: 0 144 - 1	
Front/Rear/Spindles Axles					PozyWina	o wipers & washer	
Clutch							
Fluid Levels (power steering, brake)			OFM equipped)				
CV Joints							
		Steering		CN		aters	
	CN						
		Steering Link	age				
					Structural	ntegrity	
					Tires &	Wheels	CN
			on	C N			
Hazard Warning Lamps							
			ocks			,	
Back-up Lamps							
Instruments	CN					115 market 1	
	- 10	Independent/	Multilink Rear	/		al	CN
	/	Computer Con	trolled		Wiring		
			A THE TAX A STATE OF THE STATE		Battery		
TIOIN		Disgressia	Chin Cadas	CN	Switches		
dec.		Diagnostic Iroi	JDIE Codes		Alternator		
Technician Comments							
,							
This is to certify that I have ass	essed the vel	nicle describ	ed above in ac	cordance	I the brus		
with the <i>Trame Safety Act</i> , Veh.	icle Equipmer	nt Regulatio	n (A/R 122/200	19). Rv	receipt of	this accossment	cknowledge
signing this assessment, I verif	y the content	s of this doc	ument are tru	e and correct	receipt of	uns assessment.	
				c una correct.		To the same	
Signature of Court 11		3	1	_	Signature of	of Buyer	100
orginature of Certified Journeyma	an lechnician:		CHO	7	_		121.
	2				Private / Dulin		
Vehicle Information Year: 2022 Make: Food Model: Egg Previous Pr		.)					
							1
Tochnician Tundo C. 115	211	200	,		Signature o	f Salesperson	
econician trade Certificate Num	iber: $\angle 40$	12551					
		and the same of th			Salosposs	(Drint)	
Date: 01 - 14 - 202	75				palespersor	i (Print)	
ms assessment expires 120 days atte	ir the date it was	issued.			Date		
		- 1					-21





CERTIFICATE NUMBER

Out of Province Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Ty	oe:	Automotive		Seatin	g Capa	city:					
GVW:				Brake	Type:		Hydra	aulic			₹.
Owner Nan	ne:	DIAMOND N	OTORS								
Address:	340	3 93ST NW									
City:	EDN	MONTON	Prov	ince:	AB			Posta	l Code:	T6E-6	5A4
Telephone	Num	ber: (587) 444-3300								
Vehicle Ide	ntific	ation Number	: 2F	MPK4K	95NBA9	95314					
Make:	F	ord				Model:	Edge				
Year:	2	022				Unit Nu	mber:				
Odometer:	8	2383 KM	Licence	Plate Nu	ımber:				Province	e: A	λB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number	er:					
Dean's Automotive Services	Ltd.	11566						
Inspection Technician Name	:	Technician Nu	ımber:					
Zain Dean		D0559	. }					
Inspection Technician Signa	ture:							
Inspection Date:	2025/01/14							

NOTICE TO VEHICLE OWNER

- 1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.
- 2. The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



Vehicle Information

MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

VIN	2	F	M	P	K	4	K	9		5	N	В	Α	9	5	3	1		4
								Mod	el				Yea	ır		Odo	meter		-
		Fo	rd			Edg	ge				202	2		82	2383				
Custo	Component Request for Inspection (RFI) Vehicle Accurately Described On The RFI VIN Plate Condition VIN Consistent With RFI CV Joint Road Test Result Universal Joint Road Test Result SS: Component PCM Codes Present PCM (MIL, SES, etc) Lamp Fails To Illuminate ABS Lamp Remains Illuminate ABS Lamp Remains Illuminate ABS Lamp Remains Illuminate Brake System Warning Lamp Remains Illuminate						articles.				+= 24						JE E	-77-9	800
										n Nam									
							dress 93ST N	N							`.		tal Cod	de	
						31921/67	Secti	on 1	1 - Pr	e-Insp	ection		Marija M		F5:		I I I I I I	NO LA	100
		, ,	Compo	nent		24) F	N/				Compone	ent	34 G 11 S II		Р	IE	N
1,1a. R	equest	for Inspe	ction (RF	I)				7			Vehicle V			Pos				-	-
1.1b. V	ehicle A	ccuratel	y Describ	ed On The	e RFI		-	/			Brake Sy						- 1	 	+
1.2a. V	IN Plate	Condition	on				~	7			Driveabili		omianoc				Ž	_	+
1.2b. V	IN Cons	istent W	ith RFI				~				Speedom		ation			-		_	+
											Odomete			ration				-	+
1.3b. U	niversal	Joint Ro	ad Test F	Result			✓												\top
	5 3	T		nent		Sec	tion 2 - C		nard NA		ostic Sy		Compone	ent			P	F	N.
											SRS Lam						-	1	1
				Fails To I	lluminate			-			SRS Lam		s Illumina	ated			_		0.1
								_	+		Airbag(s)						_ <		
									-		Airbag Co						_	1	_
					III. maile at			-	-		lectronic :			SC)		-1147		-	_
								-	+	1	owertrain								L
2.4a. SI	RS Code	es Prese	nt	ip itemaii	is murmin	aleu		-	+-	2.7.0	ther Safe	ty Systen	15					-	<u> </u>
NOTES	S:	YADE		Taray		VEC-11	S	ectio	on 3	- Interi	lor .								
	, , (4)	01 - 0	Compor	ent	¥586		P	-	-	- Marie		C	ompone	nt			Р	F	N/
3.1. Dod	ors .						1	-		3.11. 1	nstrumen					1-1-1-1	1		-
		Mirror					/			3.12. I							Ž		٠,
3.3. Sur	Visors						/					d Wiper a	nd Wash	er Operati	on		1		
3.4. Hor	n						/				Accelerato			ол ороли					
3.5. Sea							1				Service Br		al				7		
3.6. Sea							/				Clutch Pe								~
			and Indic	ator							ark Brak						1		
3.8. Haz							/				Neutral Sa		ch Opera	tion			1		
3.9. Hea	dlamp S	Switch ar	nd High B	eam Indic	ator						Entertainn						1		

NOTES:

3.10. Auxiliary Lamp Indicator(s)

MOTOR VEHICLE RECORD OF INSPECTION

Section 4 - Glass												
Component	P	F	NA	Component	P	F	N/					
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	1	-	-					
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint			+					
4.1e. Windshield Tinting / Decals	1			4.2d. Side Window Visibility (general)			-					
4.1f. Windshield Visibility (general)	1			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11			-					
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a. Other Glass			+					

NOTES:

Section 5 - Lamps												
Component	P	F	NA	Component	Р	F	= N/					
5.1. Lamps (general)	1		1	5.7. Front Side Reflectors		+-						
5.2. Daytime Running Lamps	1			5.8. Rear Side Marker Lamps	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1						
5.3. High Mount Brake Lamp	1			5.9. Rear Side Reflectors								
5.4. Headlamps				5.10. Licence Plate Lamp			-					
5.5. Auxiliary Lamps	1			5.11. Emergency Lighting		+						
5.6. Front Side Marker Lamps	7			or it Emorgonoy Lighting		+-	-					

NOTES:

Section 6 - Exterior, General											
Component	P	F	NA	Component	P	E	NA				
6.1. Fuel Cap	1			6.3. Bumpers		- 4	11.7				
6.2. General Body Condition	✓			6.4. Aftermarket Equipment Installation			1				

NOTES:

Section 7 - Under Hood												
Component	P	F	NA	Component	Р	F	N/					
7.1. Hood Latch Mechanism	/			7.7. Clutch Master Cylinder	- 1	-						
7.2. Hood Prop / Struts	1			7.8. Fuel System		-	-					
7.3. Remote Starter Operation	1			7.9. Exhaust Manifold(s)	Y	-	-					
7.4. Battery	1			7.10. Oil Leaks	. 4		+					
7.5. Accessory Belt Drive System	1			7.11. Engine and Transmission Mounts	- Y	-	+					
7.6. Brake Master Cylinder	/			THE Engine and Transmission Mounts	-		+					

NOTES:

Section 8 - Steering and Suspension												
Component	P	F	NA	Component	P	F	NA					
8.1. Wheel Bearings	1			8.8. Steering Gear		-	-					
8.2. Ball Joints (front and rear)	/			8.9. Rack & Pinion		1	100					
8.3. Tie Rod Ends (inner and outer)	/			8.10. Power Steering System		-						
8.4. Pitman Arm			1	8.11, Control Arms		-	-					
8.5. Idler Arm			1	8.12. Struts and Shocks		-	+-					
8.6. Steering Stabilizer / Damper			1	8.13. Springs	4	-	+					
8.7. Steering Shaft Assembly	1		1	o. 10. Opinigo			-					

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

Section 9 - Tires and Wheels												
Component	P	F	NA	Component	Р	F	NA					
9.1. Tread Depth- LF:5 mm,RF:5 mm,LR:6 mm,RR:6 mm	1			9.4. Tire Serial Numbers & Dates of Manufacture	1							
9.2. Tire Condition (general)				9.5. Wheels		-	+					
9.3. Tire Size				9.6. Wheel Nuts and Studs		H	1					

NOTES:

	Section 10 - Brakes												
Component	P	F	NA	Component	P	F	N/						
10.1. Brakes (general)	~			10.6. Park Brake Drum Diameter- LR:NA mm,RR:NA mm			1						
10.2. Park Brake Lining- LR:NA mm,RR:NA mm	~			10.6. Brake Rotor Thickness- LF:32 mm,RF:32 mm	1								
10.2. Brake Lining- LF:8 mm,RF:8 mm,LR:5 mm,RR:5 mm	1			10.7. Brake Drum Condition (general)			1						
10.3. Brake Lines and Hoses	1			10.8. Brake Rear Rotor- LR:20 mm,RR:20 mm	~								
10.4. Brake System Wiring	1			10.9. Park Brake	/	-	-						
10.5. Brake Rotor Condition (general)	/				~	-	-						

NOTES:

Section 11 - Under Vehicle											
Component P F NA Component								NA			
11.1. Bumpers		1			11.5. Drive Axles / Propeller Shafts		•				
11.2. Engine					11.6. Floor Pan		+	-			
11.3. Transmission / Transaxle / Transfer Case					11.7. Fuel System	- Y		+ =			
11.4. Differential(s)		/			11.8. Exhaust System	<u> </u>		+-			

NOTES:

0-	rtif	 - 45	

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5814395) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/01/14	Technician Number D0559	Facility Number	Signature
Customer Acknowledgment			
I understand if a vehicle inspection	n identifies defects and repairs are re	equired, once repaired, the vehicle	Date (Year/Month/Day)

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2025/01/14

Customer Signature