## **MECHANICAL FITNESS ASSESSMENT**

As required by Vehicle Inspection Regulation (A/R 211/2006)

Dealer:		AM'	VIC Licence Number:	
Address:				
	VEHICLE INFO	RMATION		
Year: 2014 Make:	Toyota Model: Sie	1110 C	Previous Province of Registration:	
	( )	•		7 -
Vehicle Identification Number: 57 b	DKN3DCTE SO83979	Odometer Reading:	212503	(km/mi)
Truck Motorcycle	Bus Van	Light Truck	Auto Motorized RV	Other
Please check mark (✓) each item	n as C=Complies or N=Non-Compli	iant. If item is Not A	Applicable indicate as N/A in t	the C column
Powertrain C	N Brakes	C N	Frame & Body	C N
Accelerator		~	Hood Latch	
Fuel System	Hydraulic System	V	Door Latches & Hinges	./
Exhaust	Vacuum System	V	Bumpers	
Transmission	Drum Brakes	M	Windshield Wipers & Washer	1
Front/Rear/Spindles Axles	Disc Brakes		Rear Wiper & Washer	V
Clutch NA	Shoes/Pads		Windshield	
	Anti-Lock (if OEM equipped)	V	Windows	V
CV Joints	Steering	C N	Defrost/Heaters	V
Lamps C			Mirrors	
Head Lamp Hi Beam	Steering Linkage	~	Seats Seat Polts (Airbans	1
Head Lamp Lo Beam	Rack & Pinion	-	Seat Belts/Airbags Mudguards	
Head Lamp Location	Power Steering System	~	Window Glazing	
Daytime Running Lamps —	King Pin	NA	Structural Integrity	
Tail Lamps	Ball Joints			
Brake Lamps  Lura Gignal Lamps	Suspension	C N	Tires & Wheels	CN
Turn Signal Lamps Hazard Warning Lamps	Leaf springs	NA	Tread Depth	
Licence Plate Lamp	Struts and Shocks	1011	Tread Section Sidewalls	
Back-up Lamps	Coil spring	<i>-</i>	Wheels	
	Torsion Bar	-		
Instruments C Speedometer/Odometer	independent/multimik kear		Electrical	C N
Indicator Lamps	Computer Controlled	NA	Wiring	
Horn	Diagnostic	C N	Battery Switches	
Hi Beam Indicator	Diagnostic Trouble Codes		Alternator	
Technician Comments	oragnostic nousia codes		Atternator	
rechnician Comments				
This is to certify that I have asses	sed the vehicle described above i	n accordance	l, the buyer of this vehicle, a	acknowledge
with the Traffic Safety Act, Vehicle	e Equipment Regulation (A/R 122) the contents of this document are	/2009). By	receipt of this assessment.	
		•	<u> </u>	
Signature of Certified Journeyman	Technician: Hisderal	suffe.	Signature of Buyer	
Technician Name (Print): HIRDE	PAL SINGH	V	Buyer (Print)	
Technician Trade Certificate Numb	er: 260479A		Signature of Salesperson	
Date: 01 No U	2025		Salesperson (Print)	
	U A			
This assessment expires 120 days after t	the date it was issued.	4,	Date	





## **CERTIFICATE NUMBER**

# Out of Province Vehicle Inspection Certificate Traffic Safety Act

## PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

							-,								
Vehicle Typ	e:	Automo	tive			Seating	g Capa	city	r:						
GVW:	-					Brake Type: Hydraulic									
Owner Nam	ne:	DIAMO	ND MOT	OR											
Address:	340	3 93 ST N	<b>W</b>												
City:	EDI	MONTON			Prov	ince:	AB				Posta	I Code:	T6E	6A4	
Telephone	Num	ber:	(587) 44	4-33	00										
Vehicle Ide	ntific	ation Nu	mber:		5T	DDK3D	C7ES0	839	79						
Make:		Toyota						Мо	del: S	Sienna					
Year:	1	2014						Un	it Nun	nber:					
Odometer:		212503 K	М	Lic	ence	Plate N	umber:					Provinc	e:	вс	
									LODE	0710	WAE	DTIEIC	ATE		

## IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Out of Province Vehicle.

Inspection Facility Name:		Facility Number:
YEG WHEELS INC.		22071
Inspection Technician Name	•	Technician Number:
Singh Hirdepal		D3653
Inspection Technician Signa	ture: Hudgelswh	7
Inspection Date:	2025/11/01	

#### NOTICE TO VEHICLE OWNER

1. This inspection certificate expires after 14 days from the Inspection date. After 14 days, a complete re-inspection of the vehicle is required.

The original of this Certificate must be presented to an Alberta Registry Agent within 14 days; however, there is no requirement to register the vehicle when the certificate is presented.



## MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

	_ /		T			W 12 SX	100 × 4			1	_	
VIN 5   T   D   D   K   3	D	С		7   E	S	0	8	3	9	7		9
Make	М	odel			Т	Yea	г		Odo	meter		
Toyota	Si	enna	1			2014	4		21	2503		
			_									100
Customer Information		V <sub>rgs</sub> gr					49	V.,	B*			# % #
	_			Name MOTOR								
Add	ress								Pos	tal Code	<del></del>	
3403 9	3 ST NW	1							T6E	6A4		
	Sectio	n 1 -	Pre	-Inspection			490				- 1	×.
Component "	P	FI			(	Compone	ent »	34		P	F	N/
1.1a. Request for Inspection (RFI)	1			1.3c. Vehicle Wa	anders o	r Pulls				1		
1.1b. Vehicle Accurately Described On The RFI	1			1.3d. Brake Syst	tem Perf	ormance				1		
1.2a. VIN Plate Condition	1			1.3e. Driveability	/			-		1		1
1.2b. VIN Consistent With RFI	1			1.3f. Speedomet	ter Oper	ation				1		1
1.3a. CV Joint Road Test Result	1			1.3g. Odometer	(if equip	ped) Ope	eration			1		
1.3b. Universal Joint Road Test Result	1											
NOTES:				Diagnostic Sys		Compone	ent		- 193. A	P	F	N.
NOTES:  ********Sect **Component	ion 2 - Or		d C		C	Compone			37 1931, A	P	F	N
NOTES:  Sect  Component  2.1a. PCM Codes Present	P			2.4b. SRS Lamp	Fails To	Illumina	te		* ***	P	F	N
Sect  Component  2.1a. PCM Codes Present  2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate	Р			2.4b. SRS Lamp 2.4c. SRS Lamp	Fails To Remain	Illumina	te		- 8 - 1931 - 4	P	F	N
Component  2.1a. PCM Codes Present  2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate  2.2a. ABS Codes Present	P			2.4b. SRS Lamp 2.4c. SRS Lamp 2.4d. Airbag(s) F	Fails To Remain Present	lllumina s Illumina	te		9 191. A	P	F	N
Sect  Component  2.1a. PCM Codes Present  2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate	P			2.4c. SRS Lamp 2.4c. SRS Lamp 2.4d. Airbag(s) F 2.4e. Airbag Cov	Fails To Remain Present ver Integ	o Illumina is Illumina rity	te ated		38 7920 A	P	F	N.
Component  2.1a. PCM Codes Present  2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate  2.2a. ABS Codes Present  2.2b. ABS Lamp Fails to Illuminate  2.2c. ABS Lamp Remains Illuminated	P			2.4b. SRS Lamp 2.4c. SRS Lamp 2.4d. Airbag(s) F 2.4e. Airbag Cov 2.5. Electronic S	Fails To Remain Present ver Integratability C	o Illumina is Illumina rity Control (E	te ated		35 792. A	P	F	N.
Component  2.1a. PCM Codes Present  2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate  2.2a. ABS Codes Present  2.2b. ABS Lamp Fails to Illuminate	P			2.4c. SRS Lamp 2.4c. SRS Lamp 2.4d. Airbag(s) F 2.4e. Airbag Cov	Fails To Remain Present ver Integratability Control	o Illumina is Illumina rity Control (E Lamps	te ated		26 273. A	P	F	N

	Se	ectio	on 3	- Interior			
Component	P	F	NA	Component	Р	F	NA
3.1. Doors	/			3.11. Instrument Panel Lamps	1		
3.2. Rear View Mirror	1			3.12. HVAC	1		
3.3. Sun Visors	/			3.13. Windshield Wiper and Washer Operation	1		
3.4. Horn	/			3.14. Accelerator	1		
3.5. Seats	1			3.15. Service Brake Pedal	1		
3.6. Seatbelts	/			3.16. Clutch Pedal Assembly			1
3.7. Signal Lamp Switch and Indicator	1			3.17. Park Brake	1		
3.8. Hazard Lamps	/			3.18. Neutral Safety Switch Operation	1		
3.9. Headlamp Switch and High Beam Indicator	1			3.19. Entertainment Display Lockout	1		
3.10. Auxiliary Lamp Indicator(s)	1						

NOTES:

## MOTOR VEHICLE RECORD OF INSPECTION

	S	ecti	on 4	- Glass			SW.
Component A S A	P	F	NA	Component	Р	F	NA
4.1a. Windshield Marked AS-1, AS-10, or AS-14	1			4.2b. Side Window Operation	1	-	
4.1b. Windshield Condition	1			4.2c. Side Window Aftermarket Tint	1/		1
4.1e. Windshield Tinting / Decals	1			4.2d. Side Window Visibility (general)	/		+
4.1f. Windshield Visibility (general)	1			4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	1		
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	1			4.4a. Other Glass	T.		1

## NOTES:

	to to	22. 3758		Se	ctic	n 5	- Lamps			-V -	97
Component	/W1	٨	egotop	P	F	NA		*	P	F	NA
5.1. Lamps (general)				1			5.7. Front Side Reflectors	i			
5.2. Daytime Running Lamps				1			5.8. Rear Side Marker Lamps	-	1		<u> </u>
5.3. High Mount Brake Lamp				1			5.9. Rear Side Reflectors		<b>*</b>		_
5.4. Headlamps				1			5.10. Licence Plate Lamp		1	<del>                                     </del>	
5.5. Auxiliary Lamps				1			5.11. Emergency Lighting	- 1	1		
5.6. Front Side Marker Lamps				1			o. 11) Emergency Eighting	-	~		-

## NOTES:

section of the sectio	ction	6 -	Exte	erior, General			1100
Component *	P	F	NA	Component	Р	F	NA
6.1. Fuel Cap	1			6.3. Bumpers	1	+	
6.2. General Body Condition	1			6.4. Aftermarket Equipment Installation	1		

## NOTES:

	Sect	ion	7 - U	nder Hood		81.	
Component	P	F	NA	Component	Р	F	NA
7.1. Hood Latch Mechanism	1			7.7. Clutch Master Cylinder			1
7.2. Hood Prop / Struts	1			7.8. Fuel System			<del>  _</del>
7.3. Remote Starter Operation			1	7.9. Exhaust Manifold(s)	Y	_	+
7.4. Battery	/			7.10. Oil Leaks		-	<del> </del>
7.5. Accessory Belt Drive System	1	<b> </b>		7.11. Engine and Transmission Mounts	- Y	-	+
7.6. Brake Master Cylinder	/	1		7.11. Engine and Transmission Mounts			

## NOTES:

Section Sectio	on 8 -	Ste	ering	and Suspension	140		
Component	P	F	NA		P	F	NA
8.1. Wheel Bearings	1			8.8. Steering Gear	-	70.0	1
8.2. Ball Joints (front and rear)	1			8.9. Rack & Pinion	1./		1
8.3. Tie Rod Ends (inner and outer)	1			8.10. Power Steering System	/		+
8.4. Pitman Arm				8.11. Control Arms	1		1
8.5. Idler Arm				8.12. Struts and Shocks	1		-
8.6. Steering Stabilizer / Damper	/			8.13. Springs	-		$\vdash$
8.7. Steering Shaft Assembly	1			o.re. opinigo	-		_

## NOTES:

## MOTOR VEHICLE RECORD OF INSPECTION

Sec	tion	9 -	Tire	s and Wheels	ð.		-4
Component As	P	F	NA	Component	P	F	F NA
9.1, Tread Depth- LF:6.93 mm,RF:6.99 mm,LR:6.80 mm,RR:6.85 mm	1			9.4. Tire Serial Numbers & Dates of Manufacture	~		
9.2. Tire Condition (general)	1			9.5. Wheels	1		
9.3. Tire Size	1			9.6. Wheel Nuts and Studs	1		

## NOTES:

	Se	ctio	n 10	- Brakes		25	: early
Component 2 2 2 2	P	F	NA	Component	P	F	NA
10.1. Brakes (general)	1			10.6. Park Brake Drum Diarneter- LR: mm,RR: mm			1
10.2. Park Brake Lining- LR: mm,RR: mm			1	10.6. Brake Rotor Thickness- LF:27.98 mm,RF:27.99 mm			
10.2. Brake Lining- LF:12 mm,RF:12 mm,LR:10 mm,RR:10 mm	<b>✓</b>			10.7. Brake Drum Condition (general)			1
10.3. Brake Lines and Hoses	<b>✓</b>			10.8. Brake Rear Rotor- LR:9.98 mm,RR:9.95 mm	1		
10.4. Brake System Wiring	1			10.9. Park Brake	1		
10.5. Brake Rotor Condition (general)	/						

#### NOTES:

Section 11 - Under Vehicle							37111
Component	P	F	NA	Component	P	F	NA
11.1. Bumpers	1			11.5. Drive Axles / Propeller Shafts	1		
11.2. Engine	1		-	11.6. Floor Pan	1		
11.3. Transmission / Transaxle / Transfer Case	1			11.7. Fuel System	1		
11.4. Differential(s)	<b>✓</b>			11.8. Exhaust System			

## NOTES:

#### Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5895673) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature					
2025/11/01	D3653	22071	Hisdepulongh.					
Customer Acknowledgment								
I understand if a vehicle inspection	Date (Year/Month/Day)							
and this Record of Inspection (RC the initial inspection and only the	2025/11/01							
vehicle is not returned for re-insp must be conducted.	Customer Signature							