Vehicle Standards and Inspection

Light Vehicle Inspection Certificate

This Certificate is issued under the authority of the Province of Saskatchewan

Decal # A277963

Station #: 70155

Station Name: Pro Certified Auto Service Inc

Technician #: 80989

Technician Name: Derek Ripplinger

Signing Officer #: 91708

Signing Officer Name: Sharon Silzer

Customer Details:

Name: ZH Autos Inc.

Address: 715 Winnipeg St, Regina, Saskatchewan, S4R1H9

Inspection Completed Date: 23Jan2026

Inspection Expiry Date: N/A

Vehicle Details:

VIN: 5UXTR9C58KLD95790

Odometer Reading: 167056 km

Year: 2019

Vehicle Make/Model: BMW/X3 30I AWD

Plate:

Jurisdiction:

Unit:

Message(s): VIN has been validated.

This inspection is valid for registration purposes outside Saskatchewan for 35 days from the inspection completion date, if acceptable to the registering jurisdiction.

This certificate does not warranty or guarantee the condition of this vehicle's components and systems for any period of time.

Vehicle Standards and Inspection

Light Vehicle Record of Inspection

The Record of Inspection must be given to the customer regardless of whether the vehicle passes or fails.

Station #: 70155

Station Name: Pro Certified Auto Service Inc

Technician #: 80989

Technician Name: Derek Ripplinger

Signing Officer #: 91708

Signing Officer Name: Sharon Silzer

Customer Details:

Name: ZH Autos Inc.

Address: 715 Winnipeg St, Regina, Saskatchewan, S4R1H9

Vehicle Details:

VIN: 5UXTR9C58KLD95790

Odometer Reading: 167056 km

Year: 2019

Vehicle Make/Model: BMW X3 30I AWD

Inspection Details:

Pass	Rejected	Corrected	Req Attn	DRIVERS COMPARTMENT	Comments
x				Vehicle Identification (5)	
x				Sun Visor Interior (5&8)	
x				Horn Operation (5)	
x				Mirrors (8)	
x				Windshield Wipers/Washers (5)	
x				Windshield Defroster/Heater (5)	
x				Windshield/Other Glass (8)	
x				Gear Position Indicator & Neutral Switch (1)	
x				Instrument Lamps (6)	
x				Floor/Step Well Covering (8)	
x				Indicator Lamps (5)	
x				Instruments/Gauges (5)	
x				Switches (7)	
x				Brake Pedal/Actuator (3)	
x				Clutch/Clutch Pedal (1)	
x				Seats/Seat Belts/SRS (8)	
x				Steering Column/Components (4)	
x				Auxiliary Controls/Equip (5)	
x				Speedometer/Odometer (5)	
x				Steering Lash/Travel (4)	

x				Accelerator Pedal/Actuator (1)	
x				Engine Shut Down Control (1)	
x				Engine Start Feature (1)	
x				Body Interior/Fixtures (8)	
x				Doors (8)	

Pass	Rejected	Corrected	Req Attn	BODY EXTERIOR	Comments
		x		Lamps (6)	brake lights stay on
x				Headlamp Aim (6)	
x				Reflex Reflectors (6)	
x				Body/Bumpers (8)	
x				Trailer Hitch (10)	
x				Cargo Bodies/Vessels (8)	
x				Mud Flaps/Fenders (8)	
x				Trailer Power Cord (7)	
x				Hybrid Vehicle Drive Systems (1)	
x				Unitized Body Elements (8)	

Pass	Rejected	Corrected	Req Attn	ENGINE COMPARTMENT	Comments
x				Hood Safety Catches (8)	
x				Power Steering System (4)	
x				Fuel System (1)	
x				Alternator/Battery/Wiring (7)	
x				Drive Belts (1)	
x				Fluid Levels (3&4)	

Pass	Rejected	Corrected	Req Attn	CHASSIS	Comments
x				Hyd Brake System/Components (3)	
x				Wheel Bearings (9)	
x				King Pins/Ball Joints (4)	
x				Steering Linkage (4)	
		x		Tires/Wheels (9)	all 4 tires
x				Engine/Transmission Mounts (1)	
x				Frame/Crossmembers/Mounts (8)	
x				Suspension/Axles (2)	
x				Drive Shaft/Universal Joints (1)	
x				Exhaust/Emission System (1)	
x				Computer Control Suspension (2)	
x				Shock Absorbers & Strut Assemblies (2)	
x				Wheel Seal Leaks (3&9)	

		x		Disc Brake Components (3)	rear pads & rotors
x				Drum Brake Components (3)	
x				Anti-Lock Brakes (3)	

Pass	Rejected	Corrected	Req Attn	WHEEL ALIGNMENT	Comments
		x		Front Wheel Alignment (4)	parts
x				Rear Wheel Alignment (4)	

Brake/Tire Measurements

Axle 1-Pass

Wheel1-Off : Tire Tread Depth: 12 in
Brake(1): Disc Brake
• Min Brake Lining/Pad: 14 in • Brake Drum/Rotor: 1.400 in
Wheel2-Off : Tire Tread Depth: 12 in
Brake(1): Disc Brake
• Min Brake Lining/Pad: 14 in • Brake Drum/Rotor: 1.420 in

Axle 2-Pass

Wheel1-Off : Tire Tread Depth: 8 in
Brake(1): Disc Brake
• Min Brake Lining/Pad: 10 in • Brake Drum/Rotor: .960 in
Wheel2-Off : Tire Tread Depth: 7 in
Brake(1): Disc Brake
• Min Brake Lining/Pad: 10 in • Brake Drum/Rotor: .940 in

PASS - vehicle passes inspection	Decal # A277963	Inspection Completed Date: 23Jan2026

One or more wheels were removed for inspection. Warning: Wheel nuts **MUST** be **RE-TORQUED** within 100-150 km. Failure to do so may result in damage or serious injury.